

CATALOGUE
OF
838 DOUBLE AND TRIPLE STARS,
COMMUNICATED TO THE ROYAL SOCIETY,
AND
PUBLISHED IN THE PHILOSOPHICAL TRANSACTIONS
FOR 1824 AND 1826.

BY JAMES SOUTH, F.R.S.

FROM THE PHILOSOPHICAL TRANSACTIONS.

LONDON:

PRINTED BY W. NICOL, CLEVELAND-ROW, ST. JAMES'S.

1826.



1911

1911

1911

CATALOGUE OF 838 DOUBLE AND TRIPLE STARS,

Communicated to the Royal Society, and published in the *Philosophical Transactions*
for 1824 and 1826.

Vol. for	Part.	Page.	Star's Name, &c.	Observer and Number.	R. A.	Decl.	Position.	Quadrant.	Distance.	Remarks.
1826	1	6	51 BODE Androm...	S....381	h. m.	0 23 N	0 30	nf	... 5.009	Unchanged.
1824	3	398	27 BODE Ceti	H & S 361	0 2	4 4 S	18 45	np	... 9.000	Distance estimated.
1826	1	7	1789; 214.....	S....382	0 5	61 49 N	85 50	sf	... 18.187	
1824	3	24	35 Piscium	H & S..1	0 6	7 49 N	60 46	sf	... 11.168	Unchanged.
1824	3	25	38 Piscium	H & S..2	0 8	7 51 N	32 9	sp	... 4.967	Unchanged.
1826	1	7	Nova	S....383	0 9	15 32 N	39 44	sp	... 12.100	
1826	1	8	V. 85	S....384	0 10	37 20 N	76 48	nf	... 45.744	Increase of Dist. = 15" nearly.
1826	1	9	Nova	S....385	0 16	31 31 N	81 25	sf	... 5.636	
1824	3	26	51 Piscium	H & S..3	0 23	5 57 N	7 11	nf	... 25.866	Changed in Position.
1826	1	9	Nova	S....386	0 23	27 32 N	74 34	sp, nf	... 42.281	
1826	1	10	H. C. 478	S....387	0 26	17 55 N	38 1	sp, nf	... 42.510	
1824	3	27	π Androm.	H & S..4	0 27	32 43 N	85 26	sf	... 35.951	Unchanged.
1826	1	10	H. C. 307	S....388	0 27	29 1 N	56 18	nf	... 6.554	
1824	3	28	α Cassiop.	H & S..5	0 30	55 33 N	7 52	np	...	Unchanged in Angle; Dist. perhaps incr.
1824	3	29	142 BODE Androm..	H & S..6	0 37	29 58 N	34 0	np	... 46.464	Unchanged: pale, ill defined stars.
1824	3	30	V. 82	H & S..7	0 37	50 7 N	11 29	nf	... 47.136	Change 3° 41' in Pos. and — 3".706 in Dist.
1824	3	27	π Cassiop.	H & S..8	0 38	56 51 N	7 56	nf	... 8.789	Binary. + 0°.5133 = mean ann. mot.
1826	1	313	S. Re-exam.				6 55	nf	... 9.904	Epoch 1825.78.
1826	1	11	78 BODE Cassiop...	S....389	0 38	50 27 N	57 35	sf	... 2.569	A slow change probably in Angle.
1824	3	32	65 Piscium	H & S..9	0 40	26 43 N	25 48	np, sf	... 5.960	Binary? — 0°.117 per annum.
1824	3	33	Nova	H & S..10	0 42	67 51 N	55 12	sp	... 3.151	
1826	1	12	H. C. 249	S....390	0 49	16 38 S	57 7	sp	... 7.781	
1824	3	34	164 BODE Androm..	H & S..11	0 50	43 44 N	78 57	sp	... 7.520	
1826	1	12	P. O. 251	S....391	0 50	0 11 S	26 27	np	... 18.866	
1824	3	34	26 Ceti	H & S..12	0 54	0 24 N	14 39	sp	... 15.756	Unchanged.
1824	3	35	77 Piscium	H & S..13	0 56	3 57 N	7 20	nf	... 32.069	Unchanged.
1824	3	36	74 ↓ Piscium	H & S..14	0 56	20 30 N	71 2	sf	... 30.340	Position unchanged.
1826	1	13	III. 73	S....392	0 56	6 25 S	82 42	sf	... 12.893	Pos. changed 8° 6'; Dist. diminished 2".
1826	1	14	α ² Piscium	S....393	0 56	31 13 N	21 8	np	... 90 ±	Change of 6° in Pos.; but identity of the star questionable.
1824	3	37	Polaris	H & S..15	0 58	88 22 N	61 11	sp	... 18.701	Unchanged.
1826	1	15	160 BODE Ceti	S....394	0 58	2 41 S	57 19	np	... 4.144	
1826	1	15	IV. 120	S....395	1 3	31 7 N	21 43	sp	... 19.373	Unchanged.
1824	3	41	ξ Piscium	H & S..16	1 4	6 37 N	26 33	nf	... 24.648	Unchanged.
1824	3	42	37 Ceti	H & S..17	1 5	8 45 S	62 27	np	... 50.780	Pos. unchanged; Dist. much increased.
1826	1	16	IV. 77	S....396	1 5	8 33 S	67 34	np	... 19.891	Pos. changed 4°; Dist. unchanged.
1826	1	16	119 BODE Cassiop...	S....397	1 9	63 43 N	82 53	np	... 50.357	
1824	3	42	↓ Cassiop.	H & S..18	1 13	67 11 N	11 19	sf	... 33.347	Unchanged.
1826	1	17	Nova	S....398	1 19	7 3 N	8 17	sf	... 9.752	
1824	3	43	100 Piscium	H & S..19	1 25	11 38 N	9 35	nf	... 16.018	Unchanged.
1826	1	17	χ Ceti	S....399	1 33	12 12 S	0 4	nf	... 4.193	
1826	1	18	H. C. 247	S....400	1 34	7 59 S	75 2	sp	... 36.645	

Vol. for	Part.	Page.	Star's Name, &c.	Observer and Number.	R. A.	Decl.	Position.	Quadrant.	Distance.	Remarks.
1826	1	18	304 BODE Piscium ..	S....401	h. m.	0 21 23 N	82 26	sf	... " 3.378	Pos. changed 5°; Dist. unchanged.
1826	1	19	241 BODE Androm. ..	S....402	1 40	36 26 N	71 42	sf	... 4.258	Probably unchanged.
1824	3	44	γ Arietis 1 and 2 ...	H & S. 20	1 44	18 25 N	88 41	np, sf	... 9.109	Unchanged.
1824	3	45	 1 and 3 ...	H & S. 21			4 46	sf	... 3.48.764	
1826	1	20	Nova	S....403	1 45	27 56 N	75 52	nf	... 5.673	
1824	3	46	47 Cassiop.	H & S. 22	1 47	76 25 N	77 41	sp	... 1 33.594	
1826	1	20	IV. 104	S....404	1 47	40 30 N	22 35	nf	... 20.590	Unchanged.
1824	3	46	λ Arietis.	H & S. 23	1 48	22 43 N	44 19	nf	... 37.889	Unchanged.
1824	3	47	292 BODE Ceti	H & S. 24	1 51	23 48 S	36 30	np	... 9.080	Much changed if the same star.
1824	3	47	α Piscium	H & S. 25	1 53	1 53 N	65 33	np	... 5.428	Unchanged.
1824	3	49	γ Androm	H & S. 26	1 53	41 28 N	25 14	nf	... 10.909	Unchanged.
1826	1	21	1789; 223	S....405	1 53	78 50 N	4 12	np	... 55.323	
1826	1	22	14 Arietis	S....406	1 59	25 5 N	7 58	np	... 1 45.258	Pos. changed 3°.
1824	3	50	59 Androm.	H & S. 27	2 0	38 11 N	56 5	nf	... 17.157	Pos. unchanged.
1826	1	23	H. C. 392 A and B ..	S....407	2 0	1 18 S	19 31	sp	... 4.956	
1826	1	23	 A and C ..				12 48	np, sf	... 4 4.079	
1826	1	24	III. 68	S....408	2 0	19 28 N	58 49	sf	... 8.952	Pos. perhaps changed 3°. Dist. unaltered.
1824	3	52	ι Trianguli	H & S. 28	2 2	23 27 N	12 2	nf	... 3.881	Pos. changed 7° 39'.
1824	3	53	66 Ceti	H & S. 29	2 3	3 17 S	43 55	sp	... 16.173	Distance unchanged.
1824	3	54	H. C. 124	H & S. 30	2 4	29 34 N	22 50	sp, nf	... 6.067	
1826	1	24	χ Persei	S....409	2 5	56 41 N	46 30	sf	... 2 4.533	No measures given by Sir W. HERSCHEL.
1826	1	25	H. C. 140	S....410	2 7	39 27 N	20 56	np	... 11.100	
1824	3	54	10 α? Trianguli ...	H & S. 31	2 8	27 49 N	61 4	sp	... 14.347	
1824	3	399	ο Ceti	H & S. 362	2 10	3 48 S	1 25	nf		Changed in Pos.
1826	1	25	ο Cassiop. A and C ..	S....411	2 14	66 35 N	16 52	sf	... 7.909	{ As III. 4, doubtful if changed; of it as
1826	1	25	 A and B ..							{ close double, I have no satisfactory mea-
1826	1	27	378 BODE Ceti	S....412	2 17	16 8 S	22 24	np	... 11.704	Remarkably unchanged.
1826	1	28	H. C. 48	S....413	2 22	0 19 N	53 23	sp	... 14.332	[sures.
1826	1	28	Nova	S....414	2 22	17 37 N	89 11	np	... 8.446	
1824	3	55	30 Arietis	H & S. 32	2 26	23 52 N	2 26	np	... 38.445	Dist. increased.
1824	3	56	33 Arietis	H & S. 33	2 30	26 17 N	88 20	nf	... 29.185	Pos. unchanged.
1826	1	29	Nova; A and B	S....415	2 31	18 5 N	28 48	sf	... 2.875	
1826	1	29	 A and C ..				31 29	sp	... 1 6.256	
1826	1	29	IV. 64; A and B ..	S....416	2 31	39 31 N	60 30	sp	... 22.883	
1826	1	29	 A and C ..				53 53	sp	... 4 26.042	{ No sensible change of Pos. or Dist. in
1826	1	30	H. C. 371	S....417	2 32	55 45 N	5 50	np	... 16.538	{ A B.
1826	1	31	Nova	S....418	2 34	28 41 N	24 17	np	... 2.903	
1824	3	57	η Persei 1 and 2 ..	H & S. 34	2 38	55 8 N	29 53	np	... 28.959	Pos. variable + 0°.25 per annum.
1824	3	57	 1 and 3 ..				24 48	np	... 3 57.175	
1824	3	59	π Arietis	H & S. 35	2 39	16 42 N	32 29	sf	... 3.076	
1824	3	61	41 Arietis	H & S. 36	2 39	26 31 N	43 24	sp	... 2 7.557	Unchanged in Distance.
1826	1	32	85 BODE Persei.	S....419	2 40	52 15 N	21 1	np	... 1.321	Unchanged since 1804.
1826	1	33	20 Persei	S....420	2 42	37 36 N	33 50	sp	... 13.886	Probably unchanged.
1826	1	33	H. C. 121	S....421	2 46	43 47 N	26 46	np	... 28.411	
1826	1	34	P. II. 220	S....422	2 48	51 38 N	4 40	nf	... 12.960	
1826	1	34	41 BODE Ap. Chem.	S....423	2 49	25 42 S	50 52	sp	... 27.754	
1824	3	61	499 BODE Ceti	H & S. 37	2 59	6 46 N	73 25	sf	... 1 21.283	
1826	1	35	II. 76	S....424	3 10	19 8 N	18 50	sp	... 7.501	Pos. slightly changed; Dist. increased 1".7.
1826	1	36	Nova	S....425	3 12	29 11 N	12 18	sf, np	... 10.345	
1826	1	37	III. 77	S....426	3 18	19 52 N	73 7	sf	... 7.798	Unchanged.
1826	1	37	STRUVE, 94	S....427	3 21	27 6 N	37 7	sp	... 43.575	
1826	1	38	STRUVE, 93	S....428	3 21	26 57 N	0 24	np	... 11.674	
1826	1	38	H. C. 31	S....429	3 23	22 45 N	55 26	nf, sp	... 1 11.640	
1824	3	401	7 Tauri	H & S. 363	3 24	23 51 N	33 54	sf	... 21.055	Distance only estimated.
1826	1	39	H. C. 121	S....430	3 26	44 12 N	4 39	sf	... 41.511	
1826	1	39	III. 45	S....431	3 28	0 3 N	44 42	sp	... 5.812	Probably unchanged.

Vol. for	Part	Page	Star's Name, &c.	Observer and Number.	R. A.	Decl.	Position.	Quadrant.	Distance.	Remarks.
1826	1	40	II. 52.....	S....432	h. m.	°	°			
1826	1	41	Nova; or 145.23....	S....433	3 29	33 32 N	13 44	sf, np	... 3.450	Doubtful if changed or not.
1826	1	41	H.C. 122.....	S....434	3 30	28 11 N	65 3	sp	... 7.326	
1826	1	42	H.C. 137.....	S....435	3 32	37 48 N	1 33	nf	... 28.428	
1826	1	42	H.C. 371.....	S....436	3 35	40 55 N	44 18	nf	... 9.867	
1826	1	42	H.C. 371.....	S....436	3 35	56 31 N	16 2	nf	... 57.706	
1826	1	43	STRUVE, 105.....	S....437	3 36	23 27 N	29 43	sf	... 34.566	Sir W. H's observations very dubious.
1826	1	43	Alycone A and B....	S....438	3 37	23 32 N	18 42	np	1 56 607	
1826	1	43	 B and C.....				74 8	np	1 25.640	
1826	1	44	 B and D.....				33 54	np	1 14.686	
1826	1	45	30 Tauri.....	S....439	3 38	10 35 N	31 14	nf	... 9.867	A C changed in Pos. by proper motion.
1826	1	46	43 Persei.....	S....440	3 43	50 10 N	59 39	nf	1 16.934	
1826	1	47	4 Persei A and B....	S....441	3 43	31 20 N	65 2	sp	... 13.296	
1826	1	48	 A and C.....				71 14	sp	1 24.379	
1826	1	48	 A and D.....				85 27	sp	1 59.071	
1824	3	62	32 Eridani.....	H & S. 38	3 45	3 30 S	79 1	np	... 8.081	Sensibly changed. Pos. unchanged; Dist. increased sensibly.
1824	3	63	Persei 1 and 2.....	H & S. 39	3 46	39 29 S	79 38	nf	... 8.587	
1824	3	63	 1 and 3.....				54 0	sf		
1826	1	49	P. III. 213.....	S....442	3 50	22 41 N	37 41	sf	... 7.208	
1826	1	50	Nova A and B.....	S....443	3 57	13 54 N	23 53	sf	... 44.212	Unchanged. Unchanged.
1826	1	50	 A and C.....				31 11	np	3 1.909	
1826	1	51	Nova.....	S....444	3 58	22 38 N	84 8	sp	... 6.301	
1824	3	401	Persei.....	H & S. 361	4 2	47 57 N	38 18	sp	1 31.559	
1826	1	52	STRUVE, 117; A and B	S....445	4 7	49 50 N	56 33	np	1 15.220	Unchanged. Unchanged.
1826	1	52	 A and C.....				10 7	sp	2 28.720	
1826	1	53	40 Eridani.....	S....446	4 7	7 55 S	17 58	sf	1 24.726	
1824	3	64	α Tauri.....	H & S. 40	4 9	26 54 N	29 33	sp	... 56.841	
1824	3	65	χ Tauri.....	H & S. 41	4 12	25 11 N	66 4	nf	... 19.962	
1824	3	66	62 Tauri.....	H & S. 42	4 13	23 52 N	19 37	np	... 29.052	Unchanged. Pos. unchanged; Dist. increased 3".
1826	1	54	IV. 72.....	S....447	4 13	33 53 N	29 49	nf	... 19.865	
1824	3	67	1 Camelop.....	H & S. 43	4 18	53 31 N	36 26	np	... 10.450	
1826	1	54	S. Re-exam.....				37 10	np	... 10.287	
1826	1	385	H.C. 136.....	S....448	4 18	29 57 N	55 43	nf	... 15.254	Epoch 1826 10. Pos. changed 5° 34'; Dist. unchanged.
1826	1	55	IV. 75.....	S....449	4 18	9 41 N	67 30	sf	... 22.900±	
1826	1	56	145. 24; or Nova....	S....450	4 19	39 35 N	25 2	sf	... 9.578	
1824	3	67	57 m. Persei.....	H & S. 44	4 21	42 39 N	71 8	sp	1 50.193	
1826	1	386	S. Re-exam.....				70 29	sp	1 50.700	Distance increased + 13".7. Epoch 1826 10. Distance unchanged.
1826	1	56	Nova.....	S....451	4 23	47 3 N	74 18	sp	1 0.454	
1824	3	402	III 65.....	H & S. 365	4 24	40 43 N	59 0	nf	... 12.468	
1824	3	68	88 d. Tauri.....	H & S. 45	4 26	9 47 N	28 59	np	1 9.455	
1826	1	57	Aldebaran.....	S....452	4 26	16 8 N	53 49	nf	1 30.000±	Unchanged. Pos. changed 5°; Dist. increased 1".7. Distance unchanged.
1826	1	58	III. 100.....	S....453	4 27	10 5 S	11 22	sp	... 13.634	
1826	1	58	H.C. 204.....	S....454	4 28	26 33 N	60 53	sp, nf	... 3.919	
1826	1	59	τ Tauri.....	S....455	4 31	22 36 N	58 23	sp	1 2.817	
1826	1	59	II. 81 A and B.....	S....456	4 32	0 35 N	56 24	np	... 6.455	Unchanged? Unchanged. No measures given by Sir W. HERSCHEL.
1826	1	59	 A and C.....				6 0	sp	1 44.412	
1824	3	69	55 Eridani.....	H & S. 46	4 35	9 9 S	48 20	np, sf	... 10.510	
1826	1	60	H.C. 251.....	S....457	4 44	1 34 S	83 41	np	... 41.490	
1826	1	61	H.C. 42.....	S....458	4 44	7 6 N	73 8	sp	... 16.933	Unchanged. Pos. unchanged. Pos. changed 11°: probably a Binary system. Ann. mot. = -0°.269.
1824	3	70	μ Aurigæ.....	H & S. 47	4 47	37 36 N	82 1	np	... 7.892	
1826	1	61	10 Camelop.....	S....459	4 47	60 11 N	62 18	sp	1 19.859	
1824	3	71	62 Eridani.....	H & S. 48	4 48	5 28 S	15 16	nf	1 5.865	
1826	1	62	I. 68.....	S....460	4 49	1 23 N	83 49	sf, np	... 2.565	
1826	1	63	STRUVE, 146.....	S....461	4 50	26 25 N	68 36	sf	1 18.561	
1826	1	63	H.C. 465.....	S....462	4 51	3 22 N	10 26	sp	... 21.808	
1826	1	64	STRUVE, 149.....	S....463	4 52	11 7 N	60 25	nf	... 33.604	

Vol. for	Part.	Page.	Star's Name, &c.	Observer and Number.	R. A.	Decl.	Position.	Quadrant.	Distance.	Remarks.
1826	1	64	62 BODE Camel.	S....464	h. m.	0 0 N	0 23	np	... 37.012	Probably unchanged.
1826	1	65	P. IV. 278.	S....465	4 53	79 0 N	70 23	np	... 14.435	
1826	1	65	105 Tauri.	S....466	4 53	1 20 N	41 42	np	... 49.990	
1826	1	66	Nova.	S....467	4 57	21 27 N	19 3	sp	... 4.571	
1824	3	72	26 BODE Orion. 1 & 2	H & S. 49	4 59	31 51 N	15 40	np	... 38.827	
1824	3	72	 1 & 3		4 49	14 15 N	34 36	np		
1824	3	73	IV. 43.	H & S. 50	5 0	8 53 S	10 6	np	... 21.763	Position hardly changed. Epoch 1825.06.
1826	1	315		S. Re-exam.			8 42	np	... 21.916	
1826	1	67	H. C. 203.	S....468	5 0	13 47 N	72 37	sf	... 27.183	Pos. changed 0°: Dist. unchanged.
1824	3	73	Capella.	H & S. 51	5 4	45 48 N	78 2	np	... 34.206	
1824	3	74	14 Aurigæ.	H & S. 52	5 4	32 28 N	45 37	sp	... 14.610	
1826	1	67	145.21 or Nova? ...	S....469	5 4	2 38 N	28 1	np	... 7.054	
1826	1	68	H. C. 562.	S....470	5 5	17 40 S	7 38	np	... 48.304	Probably unchanged. Pos. unchanged; Dist. scarcely changed. } Sir W. H. gives no measures of this } star.
1826	1	68	II. 48.	S....471	5 5	33 9 N	17 37	sp	... 2.822	
1824	3	75	β Orionis.	H & S. 53	5 6	8 25 S	69 19	sp	... 8.878	
1824	3	69	λ Aurigæ A and B.	S....472	5 6	39 58 N	55 24	np	... 42.143	
1826	1	70	 A and C.				8 30	np	... 13.941	
1826	1	70	H. C. 467.	S....473	5 10	15 26 S	34 1	np	... 20.844	
1826	1	70	H. C. 313.	S....474	5 11	10 56 S	2 49	np	... 10.939	Pos. unchanged; Distance differs 6'. Unchanged. Position unchanged; Distances not comparable.
1826	1	71	82 BODE Orion.	S....475	5 12	8 13 S	86 46	np	... 35.678	
1826	1	72	H. C. 562.	S....476	5 12	18 43 S	72 41	np, sp	... 39.713	
1824	3	76	23 Orionis.	H & S. 54	5 13	3 21 N	62 40	np	... 33.043	
1826	1	72	IV. 101.	S....477	5 13	34 43 N	76 14	np	... 31.964	
1826	1	73	111 Tauri.	S....478	5 14	17 13 N	1 17	np	... 1.763	No material change.
1826	1	73	Nova A and B.	S....479	5 16	1 39 N	51 21	sp	... 46.630	
1826	1	74	 A and C.				54 45	np	... 38.162	
1826	1	74	I. 52.	S....480	5 16	1 45 N	50 48	np	... 2.982	
1826	1	76	I. 53.	S....481	5 17	2 46 N	40 29	np	... 3.393	Position unchanged. Position unchanged.
1826	1	77	H. C. 563.	S....482	5 17	11 28 S	75 54	sp	... 11.392	
1826	1	77	Nova.	S....483	5 17	33 38 N	30 53	np	... 27.602	Unchanged. Position changed 6° 58'. Binary? mean motion — 0°.414.
1824	3	77	118 Tauri.	H & S. 55	5 18	25 0 N	75 59	sp	... 5.666	
1826	1	78	Nova.	S....484	5 18	33 21 N	80 1	sf	... 58.955	
1826	1	78	IV. 110.	S....485	5 19	29 24 N	81 52	np	... 15.446	
1824	3	78	32 Orionis.	H & S. 56	5 21	5 48 N	66 49	sp	... 1.300	
1824	3	78	near 33 Orion.	H & S. 57	5 21	3 11 N	62 41	sf	... 24.731	Pos. unchanged. Epoch 1824.99. Unchanged.
1824	3	79	III 93.	H & S. 58	5 22	16 55 N	52 4	sf	... 9.790	
1826	1	316		S. Re-exam.			51 18	sf	... 10.861	
1824	3	80	33 Orionis 1 and 2.	H & S. 59	5 22	3 9 N	63 21	np	... 2.025	
1824	3	81	 1 and 3.				55 54	np	... 4.19.734	Unchanged.
1824	3	82	β Orionis.	H & S. 60	5 23	0 27 S	89 57	np	... 54.875	
1824	3	82	Nova.	H & S. 61	5 23	2 39 N	83 9	np	... 1.812	
1824	3	82	λ Orionis.	H & S. 62	5 25	9 48 N	49 14	np	... 5.574	Unchanged.
1826	1	79	θ Orionis A and B.	S....486	5 26	5 32 S	40 48	np	... 13.453	
1826	1	80	 A and C.				29 56	np	... 13.582	
1826	1	80	 A and D.				75 3	np	... 16.685	
1826	1	81	 A and E.				58 28	np	... 58.114	Pos. changed 14°.45; probably is Binary.
1826	1	83	I. 70.	S....487	5 26	21 53 N	21 39	sp	... 2.970	
1826	1	84	Nova.	S....488	5 26	5 34 S	1 46	sf	... 52.418	
1826	1	85	A of S. 486; and A of S. 488.				43 36	sf	... 14.866	
1826	1	85	Nova.	S....489	5 26	6 7 S	49 11	sp	... 37.116	

Vol. for	Part	Page	Star's Name, &c.	Observer and Number.	R. A.	Decl.	Position.	Quadrant.	Distance.	Remarks.
1826	1	86	Nova	S....490	h. m. 5 27	0 34 S	55 56	sp	.1 17.680	
1826	1	86	Orionis; A and B	S....491	5 27	6 2 S	51 58	sf	... 12.085	
1826	1	87	 A and C				13 26	sf	... 49.784	Pos. changed 8° 7'. } Distances but
1826	1	88	26 Aurigæ	S....492	5 27	30 22 N	1 38	sp	... 12.327	Pos. changed only 2° 7'. } little changed.
1824	3	87	Orionis; A and B	H & S.63	5 30	2 43 S	6 41	nf	... 12.012	Pos. changed 4° 14'; Dist. diminished 1".
.....			 A and C				28 57	nf	... 42.765	Unchanged.
.....		84	 A and D	H & S.64			52 57	np	.3 30.805	Unchanged.
.....		85	 A and G	H & S.65			33 44	sf	.5 10.131	
.....		86	 A and H				31 11	nf	.8 45.375	
.....		86	 D and E	H & S.66			3 39	sp	... 11.136	Pos. unchanged.
.....		87	 D and F				68 11	nf	.1 8.255	Very little changed.
1826	1	89	Nova	S....493	5 30	0 15 S	8 9	sp	.2 18.317	
1826	1	89	Nova	S....494	5 30	0 15 S	27 51	np	... 11.523	
1826	1	90	H. C. 260	S....495	5 30	29 23 N	77 12	nf	... 26 501	
1826	1	90	H. C. 262	S....496	5 30	15 15 N	4 49	np	... 9.867	
1824	3	87	Orionis; A and B	H & S.67	5 32	2 3 S	60 3	sf	... 2.625	
.....			 A and C				82 50	nf		
1826	1	91	187 BODE Orion	S....497	5 37	4 20 S	3 7	nf	... 7.667	
1826	1	92	7 Leporis	S....498	5 37	22 31 S	79 25	np	.1 33.844	Sir W. H. gives no measures of this star. Perfectly unaltered.
1826	1	92	52 Orionis	S....499	5 38	6 23 N	69 19	sp, nf	... 1.654	
1826	1	93	H. C. 209	S....500	5 38	32 56 N	1 6	nf	... 59.460	
1826	1	94	Nova	S....501	5 40	8 28 S	87 54	sp	... 21.558	
1826	1	94	H. C. 313	S....502	5 45	13 50 N	39 10	sf	... 45.524	
1826	1	95	Nova; A and B	S....503	5 46	13 55 N	44 9	sf	... 39.946	
.....			 A and C				67 17	np	.3 21.764	
1824	3	89	8 Aurigæ	H & S.68	5 47	37 11 N	82 16	np	.2 5.051	
1826	1	96	H. C. 319	S....504	5 51	20 10 S	12 22	sp, nf	... 5.253	
1826	1	96	Nova	S....505	5 58	14 2 N	84 9	nf	... 24.662	
1824	3	403	41 Aurigæ	H & S.66	5 58	48 44 N	83 16	np	... 8.809	
1826	1	97	Nova	S....506	5 59	14 0 N	19 33	sf	... 2.750	
1826	1	97	Nova	S....507	5 59	14 0 N	47 33	sp	... 39.606	
1826	1	98	STRUVE, 216	S....508	6 0	2 32 N	22 39	sf	... 29.187	
1826	1	99	Nova	S....509	6 4	14 26 N	71 57	sp	.2 48.939	
1826	1	99	H. C. 313; A and B	S....510	6 4	14 32 N	6 43	sp	... 5.930	
.....		100	 A and C				64 43	nf	.1 47.879	
1826	1	100	H. C. 315	S....511	6 4	36 12 N	54 13	sp	... 11.654	
1826	1	101	H. C. 383	S....512	6 7	47 11 N	0 32	sp	... 8.238	
1826	1	101	Nova	S....513	6 11	21 14 N	12 50	sp	... 58.913	
1826	1	102	5 Lynxis	S....514	6 11	58 30 N	2 7	np	.1 35.445	Perfectly unchanged in Pos.
1826	1	102	Nova	S....515	6 12	26 47 N	78 40	np	... 18.999	
1826	1	103	Nova; A and B	S....516	6 12	24 53 S	87 5	nf	.1 6.271	
.....			 A and C				27 43	sp	.4 59.975	
1824	3	91	8 Monocerot	H & S.69	6 14	4 41 N	64 39	nf	... 14.379	
1826	1	387	S. Re exam				64 47	nf	... 14.147	
1826	1	104	Nova	S....517	6 14	16 32 S	77 42	sp, nf	... 23.830	Epoch 1826.13.
1826	1	104	H. C. 323	S....518	6 16	16 8 S	0 28	nf	... 15.600	
1824	3	92	15 Geminor	H & S.70	6 17	20 54 N	65 21	sp	... 32.693	Unchanged.
1826	1	105	229 BODE Aurig. ...	S....519	6 19	52 35 N	49 26	np	... 5.223	
1826	1	105	II. 89	S....520	6 19	5 24 N	50 27	nf	... 6.964	Perfectly unchanged.
1824	3	93	11 Monocerot. A and B	H & S.71	6 20	6 55 S	39 29	sf	... 6.862	Unchanged.
1824	3	93	 B and C				10 41	sf	... 3.243	Unchanged.
1824	3	93	 Comes				67 20	np		
1826	1	316	 A and B. S. Re-exam.				40 23	sf	... 7.990	Epoch 1824.12.
1826	1	317	 B and C. S. Re-exam.				13 39	sf	... 3.278	Epoch 1824.12.
1826	1	317	 Comes. S. Re-exam.				66 33	np	.4 10.957	Epoch 1824.12.
1826	1	94	20 Geminor	H & S.72	6 22	17 54 N	61 3	sp	... 19.454	
1826	1	388	S. Re-exam.				60 38	sp	... 20 251	Epoch 1826.09.
1826	1	106	H. C. 208	S....521	6 22	38 40 N	42 56	sf	... 3.613	

Vol. for	Part.	Page.	Star's Name, &c.	Observer and Number.	R. A.	Decl.	Position.	Quadrant.	Distance.	Remarks.
1826	1	106	III. 75.....	S....522	h. m.	°	15 25	np	... 10.774	
1826	1	107	142.2 or Nova?	S....523	6 22	11 22 N	85 13	nf	... 16.882	
1826	1	107	STRUVE, 233; A and B	S....524	6 23	22 15 N	27 11	sp	... 53.280	
.....	108		 A and C				59 39	sf	... 46.511	
1826	1	109	145.60; or Nova?	S....525	6 24	41 15 N	16 10	nf	... 25.585	
1826	1	109	I. 84.....	S....526	6 26	41 43 N	4 59	nf	... 1.664	Pos. changed 9°; probably a Binary system.
1824	3	404	15 BODE Telesc....	H & S 367	6 26	41 40 N	43 0	sf	... 28.064	
1826	1	110	Nova	S....527	6 27	23 19 N	67 48	sf	... 15.905	
1826	1	111	Nova	S....528	6 28	31 44 N	64 4	nf	... 20.691	
1826	1	111	Nova; A and B	S....529	6 28	12 23 N	72 56	sf	... 31.995	
.....			 A and C				80 45	sf	... 7.913	
1824	3	94	Canis Maj.	H & S 73	6 29	18 31 S	10 8	sp	... 17.240	Changed in pos. ? in Dist.
1826	1	112	STRUVE, 238	S....530	6 29	59 37 N	46 48	sf	... 4.063	
1824	3	95	12 Lyncis A and B ..	H & S 74	6 30	59 37 N	68 39	sf	... 2.593	Binary; —0°.5574 per ann.
1824	3	95	 A and C				36 50	np	... 9.849	Pos. changed +0°.009 per ann.
1826	1	318	 A and B	S. Re-exam.			64 21	sf	... 2.529	Epoch 1825.25.
1826	1	318	 A and C	S. Re-exam.			35 21	np	... 9.184	Epoch 1825.25.
1826	1	113	II. 72.....	S....531	6 33	55 54 N	10 57	nf	... 4.519	Pos. unchanged.
1826	1	113	H. C. 267.....	S....532	6 33	7 49 S	79 49	sp	... 12.607	
1826	1	114	Geminor.	S....533	6 33	25 18 N	3 42	sf	... 51.577	Distance unaltered.
1824	3	97	56 Aurigæ.....	H & S 75	6 34	43 45 N	72 52	nf	... 55.386	Pos. unchanged.
1826	1	114	Nova	S....534	6 36	22 15 S	53 13	sf	... 18.252	
1826	1	115	H. C. 365.....	S....535	6 40	75 30 N	65 47	nf	... 12.538	
1826	1	116	59 Aurigæ.....	S....536	6 41	39 5 N	48 19	sp	... 21.601	No material change.
1826	1	116	Nova	S....537	6 42	23 55 S	11 51	np	... 30.395	
1826	1	117	Nova	S....538	6 42	23 55 S	86 44	nf	... 27.806	
1826	1	117	STRUVE, 250.....	S....539	6 43	46 47 N	60 36	sp	... 8.229	
1824	3	98	38 Geminor.	H & S 76	6 44	13 24 N	84 24	sf	... 5.528	Distance diminished.
1826	1	118	* Canis Maj. A and B	S....540	6 47	20 11 S	57 57	sf	... 45.033	Pos. changed 6° 15'; Distance is perfectly unchanged.
.....			 A and C				85 42	sp	... 52.957	
.....			 A and D				84 44	sp	... 8.360	
1826	1	119	Nova; A and B	S....541	6 50	22 24 S	46 52	nf	... 24.097	
.....	120		 A and C				32 10	sf		
1826	1	120	I. 69.....	S....542	6 51	53 1 N	66 54	sf	... 3.891	Pos. changed 10° 30'; probly. a Bin. system.
1824	3	99	ζ Geminor.	H & S 77	6 53	20 50 N	85 27	np	... 31.032	Pos. slightly changed.
1826	1	121	Nova	S....543	6 54	22 25 S	1 25	np	... 31.432	
1826	1	121	Nova	S....544	7 2	22 35 N	49 51	sp, nf	... 9.427	
1826	1	122	1790; 387.....	S....545	7 5	73 23 N	8 32	nf	... 31.085	
1824	3	100	19 Lyncis A and B ..	H & S 78	7 8	55 37 N	43 5	sp	... 14.544	Scarcely changed.
.....			 A and C				86 45	sf	... 33.357	
1824	3	101	20 Lyncis.....	H & S 79	7 9	50 27 N	17 21	sp	... 15.966	
1826	1	389		S. Re-exam.			16 56	sp	... 15.066	Epoch 1826.10.
1824	3	102	δ Geminor.	H & S 80	7 9	22 18 N	74 35	sp	... 7.248	Probably unchanged.
1826	1	122	Nova; A and B	S....546	7 10	31 48 N	89 22	np	... 19.600	
.....			 A and C				20 47	nf	... 22.637	
1826	1	123	III. 48.....	S....547	7 15	20 48 N	50 44	nf	... 6.516	—0°.166 per ann. Binary?
1826	1	124	V. 66.....	S....548	7 17	22 30 N	5 52	np	... 35.619	Not materially changed.
1824	3	404	63 Geminor.	H & S 368	7 17	21 49 N	56 16	np		
1826	1	124	H. C. 314; A and B ..	S....549	7 20	14 13 N	39 41	nf	... 7.999	
.....	125		 A and C				39 35	sf	... 51.627	
1826	1	125	H. C. 281.....	S....550	7 20	18 8 S	26 12	sf	... 40.041	
1826	1	126	H. C. 261.....	S....551	7 21	5 37 N	24 46	sp	... 4.599	
1824	3	103	α Geminor. A and B	H & S 81	7 23	32 17 N	3 57	sp	... 5.355	Binary; mean mot. = —0°.965.
.....	106		 A and C				71 34	sf	... 10.180	
.....	107		 A and D				45 45	sf	... 17.114	
1826	1	320	 A and B S. Re-exam.				6 42	sp	... 4.767	Epoch 1825.26.
1826	1	126	145.19; or Nova?	S....552	7 27	23 4 S	14 53	np	... 9.007	
1826	1	127	34 BODE Off. Typ....	S....553	7 28	14 6 S	33 20	np	... 7.437	No material change.
1826	1	127	Nova	S....554	7 28	14 7 S	54 41	nf	... 20.276	
1826	1	128	Nova	S....555	7 28	14 4 S	42 17	sp	... 34.731	

Vol. for	Part.	Page.	Star's Name, &c.	Observer and Number.	R. A.	Decl.	Position.	Quadrant.	Distance.	Remarks.
1826	1	129	P. VII. 159	S....556	7 28	65 34 N	85 43	nf	16.175	
1826	1	129	Nova	S....557	7 29	14 3 S	66 51	np	6.356	
1824	3	107	31 Bode Can. Min.	H & S. 82	7 31	5 43 N	37 8	sf		Binary? Pos. changed — 10°.
1826	1	390	S. Re-exam.	S....558		40 40	sf		1.405	Epoch 1826.18.
1826	1	130	H. C. 275	S....558	7 33	3 6 S	31 54	sp	19.886	
1826	1	130	Pollux; A and B	S....559	7 34	28 28 N	17 20	nf	18.467	
.....		131	 A and C				23 37	nf	12.312±	No material change in Pos.
1824	3	109	π Geminor.	H & S. 83	7 36	33 51 N	69 55	np	33.984	
1824	3	110	2 Argo Navis	H & S. 84	7 37	14 15 S	69 27	np	19.660	Pos. unchanged.
1826	1	132	V. 67	S....560	7 37	29 13 N	89 22	np	30.598	Identity with Sir W. H's star dubious.
1824	3	110	201 Bode Geminor.	H & S. 85	7 38	18 47 N	0 9	sp	6.384	Unchanged.
1826	1	132	Nova	S....561	7 41	25 16 S	88 0	nf	50.898	
1824	3	112	2 Bode Ursæ Maj.?	H & S. 86	7 46	63 34 N	6 48	nf	46.647	
1824	3	112	14 Canis Min. 1 and 2	H & S. 87	7 49	2 47 N	24 18	nf	16.021	Dist. increased greatly.
.....			 1 and 3				62 50	sf	52.168	(Single measures.)
1826	1	133	Nova	S....562	7 49	79 59 N	80 5	nf	21.440	
1824	3	113	11 Cancri	H & S. 88	7 58	28 0 N	84 30	np	4.498	Unchanged.
1826	1	321	S. Re-exam.	S....563		83 15	np		4.676	
1824	3	114	29 Monocerot. 1 and 2	H & S. 89	8 0	2 28 S	27 1	sp	6.503	
.....			 1 and 3				30 16	sp	18 ±	Distance an inaccurate estimation only.
1826	1	133	Nova	S....563	8 0	19 18 S	34 20	sp	13.702	
1824	3	115	ζ Cancri	H & S. 90	8 2	18 11 N	68 17	sf	6.241	Binary? — 0°.5813 per ann.
1826	1	323	 A and B	S. Re-exam.			32 10	nf	1.086	Epoch 1825.27. perhaps a TERNARY system.
.....		325	 A and C				67 55	sf	5.436	
1826	1	134	H. C. 263	S....564	8 2	1 48 N	68 33	np, sf	33.621	
1824	3	91	19 Argo Navis	H & S. 91	8 3	12 24 S	14 3	sp	10.175	
1826	1	134	H. C. 54	S....565	8 12	42 34 N	74 48	sf	13.040	
1826	1	135	φ Cancri	S....566	8 15	28 26 N	68 12	nf	0.945	
1826	1	136	Nova	S....567	8 15	20 43 N	79 25	sp	37.782	
1824	3	117	24 Cancri	H & S. 92	8 16	25 7 N	52 13	nf	6.046	Binary? — 0°.514 per ann. and Dist. incr. 2".
1826	1	328	S. Re-exam.	S....568	8 16		52 30	nf	6.742	Epoch 1825.26.
1824	3	118	φ Cancri	H & S. 93	8 16	27 31 N	58 47	sp, nf	5.514	Unchanged.
1826	1	136	Nova	S....568	8 17	23 27 S	5 0	nf	40.635	
1826	1	137	Nova	S....569	8 23	25 25 S	71 34	np	39.723 ±	
1824	3	120	18 Bode Hydræ	H & S. 94	8 26	7 15 N	65 57	nf	10.844	Scarcely changed in Pos.
1826	1	138	Nova; A and B	S....570	8 29	20 15 N	6 32	nf	57.517	
.....			 A and C				74 44	np	57.987	
1826	1	139	Nova; A and B	S....571	8 30	20 8 N	67 1	sf	45.037	
.....			 A and C				29 2	sp	32.257	
1826	1	140	Nova	S....572	8 30	20 16 N	0 16	nf	15.946	
1826	1	140	Nova	S....573	8 30	20 15 N	37 2	nf	20.692	
1826	1	141	Nova	S....574	8 30	20 8 N	21 2	sp	12.803	
1826	1	142	IV. 54	S....575	8 31	6 25 N	59 47	nf	27.383	No appreciable change.
1826	1	142	P. VIII. 131	S....576	8 31	49 30 N	60 58	np	10.316	
1826	1	143	H. C. 270	S....577	8 33	11 33 S	31 9	np	5.589	
1826	1	143	Nova	S....578	8 33	11 16 S	32 6	np	30.808	
1826	1	144	31 Monocerotis	S....579	8 35	6 35 S	38 35	np	17.918	Very slightly, if at all changed.
1824	3	122	48 Cancri	H & S. 95	8 36	29 25 N	37 42	np	29.387	Unchanged. ? colour.
1826	1	144	P. VIII. 160	S....580	8 36	1 57 S	11 34	sp	4.951	
1826	1	145	H. C. 218	S....581	8 37	11 50 N	83 27	np	13.324	
1824	3	123	145.144	H & S. 96	8 39	71 27 N	58 51	sp, nf	8.745	
1826	1	145	130 Bode Lyncis	S....582	8 39	35 45 N	7 36	sf, np	3.661	
1824	3	124	IV. 111	H & S. 97	8 41	15 29 N	34 16	sf	16.521	Pos. changed — 5° 16'.
1826	1	146	φ Cancri	S....583	8 41	33 9 N	66 44	nf	22.101 ±	Not measured by Sir W. H.
1824	3	125	57 2 Cancri	H & S. 98	8 43	31 16 N	70 11	np	1.894	Unchanged.

Vol. for	Part.	Page.	Star's Name, &c.	Observer and Number.	R. A.	Decl.	Position.	Quadrant.	Distance.	Remarks.
1824	3	125	17 Hydræ	H & S. 99	h. m.	0 17 S	86 8	np, sf	... 5.723	Unchanged.
1826	1	146	Nova	S... 584	8 47	10 43 S	58 49	sp	... 11.189	
1826	1	147	Nova	S... 585	8 47	17 34 S	53 12	np	... 9.363	
1824	3	126	93 Cancri	H & S 100	8 49	33 7 N	24 49	np	... 29.731	Pos. unchanged.
1826	1	147	94 Cancri	S... 586	8 50	32 57 N	45 25	sf	... 4.850	
1824	3	127	67 f Cancri	H & S 101	8 51	28 36 N	52 40	np	... 43.144	Pos. unchanged.
1826	1	148	Nova	S... 587	8 52	82 8 N	48 57	np	... 24.342	
1826	1	148	Nova	S... 588	8 55	16 57 S	58 48	np	... 30.232	
1824	3	127	194 Bode Cancri ...	H & S 102	8 57	23 42 N	68 37	sp	... 7.640	Pos. unchanged; Dist. — 1".19.
1826	1	149	H. C. 258	S... 589	8 57	3 31 N	2 35	sf, np	... 12.140	
1826	1	149	STRUVE, 325	S... 590	8 58	53 6 N	56 31	sf	... 5.513	
1824	3	128	53 Bode Urs. Maj...	H & S 103	8 59	62 24 N	64 49	np	... 25.346	
1826	1	150	Nova	S... 591	9 0	16 0 N	29 56	np	... 7.634	
1826	1	150	STRUVE, 328	S... 592	9 1	53 28 N	44 13	np	... 20.796	
1826	1	151	Nova	S... 593	9 4	79 15 N	81 14	sf	... 29.320	
1824	3	129	38 Lyncis	S... 104	9 7	37 34 N	27 20	sp	... 2.887	Unchanged.
1826	1	151	H. C. 215	S... 594	9 7	24 24 N	73 25	np	... 7.107	
1826	1	152	Nova	S... 595	9 10	19 35 S	10 2	np	... 1.147	
1826	1	152	39 Lyncis	S... 596	9 10	50 18 N	49 40	np	... 6.059	
1824	3	405	40 Lyncis	H & S 369	9 10	35 9 N	57 15	np	... 22.287	
1824	3	131	27 Hydræ	H & S 105	9 12	8 48 S	59 21	sp	... 3.45 689	Pos. unchanged.
1824	3	405	21 Urs. Maj. 1 and 2	H & S 370	9 13	54 47 N	39 2	np	... 6.674	
1826	1	153	H. C. 324	S... 597	9 14	4 17 N	40 25	np	... 45.000	
1826	1	153	IV. 55	S... 598	9 17	46 26 N	71 31	sf	... 22.169	
1824	3	406	23 A Urs. Maj.	H & S 371	9 17	63 51 N	0 33	np	... 26.649	
1826	1	154	H. C. 273	S... 599	9 18	7 1 N	57 41	np, sf	... 3.513	
1826	1	154	ω ² Leonis	S... 600	9 19	9 50 N	...	...	...	
1826	1	391	S. Re-exam.	...	...	64 14	sf	...	...	
1824	3	131	τ Hydræ	H & S 106	9 20	2 0 S	86 49	np	... 6.683	Pos. very slightly changed.
1826	1	155	STRUVE, 345	S... 601	9 21	73 52 N	44 41	sf	... 5.090	
1824	3	132	6 Leonis	H & S 107	9 22	10 30 N	15 27	np	... 38.128	Scarcely altered.
1826	1	155	STRUVE, 347	S... 602	9 23	2 16 N	74 16	sf	... 3.766	
1826	1	156	H. C. 215; A and B.	S... 603	9 24	40 46 N	57 7	sf	... 24.581	
1824	3	132	7 Leonis	H & S 108	9 26	15 10 N	9 25	np	... 58.608	
1826	1	157	Nova	S... 604	9 27	18 48 S	0 30	sf	... 44.199	Unchanged.
1824	3	133	14 Leonis	H & S 109	9 32	10 43 N	53 38	np	... 51.840	Changed in Pos. and Dist. ?
1826	1	157	9 Sextant.	S... 605	9 45	5 48 N	22 43	np	... 51.022	
1826	1	158	H. C. 212	S... 606	9 47	20 37 N	84 41	sf	... 30.071	
1824	3	133	40 Bode Felis.	H & S 110	9 56	17 12 S	2 45	np	... 21.498	
1826	1	159	H. C. 283	S... 607	9 58	18 26 S	56 12	np, sf	... 11.352	
1824	3	134	α Leonis	H & S 111	9 59	12 51 N	37 16	np	... 54.906	Slight change in Pos.
1824	3	135	145.145	H & S 112	10 3	71 55 N	75 20	sf	... 16.843	
1824	3	136	γ Leonis 1 and 2 ..	H & S 113	10 10	20 45 N	8 24	sf	... 3.243	Binary; mean mot. + 0° 30' per ann.
1826	1	137	 1 and 3 ..	...	...	27 30	np	...	...	
1826	1	130	S. Re-exam.	...	...	11 17	sf	...	... 2.716	Epoch 1825.30.
1824	3	139	145 Bode Leonis ..	H & S 114	10 11	7 22 N	80 15	np	... 6.723	Pos. changed 4°.47; Dist. unaltered.
1824	3	140	155 Bode Leonis ..	H & S 115	10 14	6 38 N	60 23	np	... 0.387	Unchanged.
1826	1	159	l. 23	S... 608	10 16	9 39 N	26 1	np	... 3.632	Unchanged.
1826	1	160	H. C. 150	S... 609	10 22	22 58 N	65 30	sf	... 14.205	
1826	1	161	Nova	S... 610	10 26	16 54 S	54 6	np	... 40.865	
1826	1	161	Nova	S... 611	10 33	13 49 S	76 15	sp	... 59.331	
1824	3	141	35 Sextant. 1 and 2.	H & S 116	10 34	5 42 N	32 26	sp	... 7.869	
1826	1	162	 1 and 3 ..	...	...	60 50	sf	...	... 33.500	Single measure.
1826	1	162	42 Leon. Min.	S... 612	10 36	31 37 N	82 36	sf	... 20.304	

Vol. for	Part	Page	Star's Name, &c.	Observer and Number.	R. A.	Decl.	Position.	Quadrant.	Distance.	Remarks.
1826	1	162	P. X. 159.	S...613	10 39	14 41 S	78 57	nf	... 31.651	
1826	1	163	H.C. 331; A & B ...	S...614	10 39	14 20 S	72 26	sp	... 7.262	
			 A & C				68 44	sp	... 17.861	
1826	1	164	Nova	S...615	10 39	13 44 S	88 44	np	... 26.078	
1826	1	164	P. X. 179.	S...616	10 43	8 25 N	35 21	np	... 12.510	
1826	1	165	H. C. 227.	S...617	10 45	1 17 S	87 47	sf	... 35.223	
1824	3	142	54 Leonis.	H&S 117	10 46	25 43 N	8 19	sf	... 7.023	Unchanged.
1826	1	165	Nova	S...618	10 47	20 9 S	54 16	sp	... 19.101	
1824	3	143	V. 111.	H&S 118	10 49	59 50 N	51 46	nf	... 35.010	Distance increased?
1826	1	166	II. 78.	S...619	10 57	8 0 N	74 1	sf	... 8.637	Unchanged.
1826	1	167	Nova	S...620	10 58	12 28 S	73 19	nf	... 32.698	
1826	1	167	1790.386; A and B.	S...621	11 0	66 59 N	64 30	nf	... 43.431	
			 A and C.				26 34	np	... 23.201	
1826	1	168	1790.389.	S...622	11 3	74 26 N	26 16	np	... 12.479	
1824	3	144	145.68.	H&S 119	11 6	53 44 N	75 29	np	... 13.144	
1826	1	169	H. C. 61.	S...623	11 6	28 33 N	5 13	nf	... 4.103	
1824	3	407	145.104.	H&S 372	11 7	15 22 S	36 ±	np	... 20 ±	
1824	3	145	145.26.	H&S 120	11 8	6 8 S	7 37	sf	... 7.062	
1824	3	145	φ Leonis.	H&S 121	11 8	2 40 S	16 56	sp	... 46.256	Much changed in Pos. and Dist.
1824	3	146	ξ Ursæ Maj.	H&S 122	11 9	32 33 N	11 33	sp	... 2.809	Binary.
1826	1	331	S. Re-exam.				25 28	sp	... 2.442	Epoch 1825.25.
1826	1	169	H. C. 498.	S...624	11 10	0 40 S	18 1	sp	... 10.145	
1826	1	170	H. C. 223.	S...625	11 10	15 16 N	79 40	nf	... 4.927	
1824	3	151	201 Bode Camelop.	H&S 123	11 17	82 2 N	43 13	np	... 21.876	
1824	3	151	83 Leonis.	H&S 124	11 18	4 0 N	61 7	sf	... 29.542	Pos. changed + 6° 11'.
1824	3	152	τ Leonis.	H&S 125	11 19	3 50 N	79 8	sf	... 35.217	Much increased in Dist.
1826	1	170	57 Urs. Maj.	S...626	11 19	40 20 N	79 45	nf	... 6.294	Diff. of Pos. = 4° 9'.
1824	3	153	145.70.	H&S 126	11 21	42 21 N	0 21	sf	... 13.040	
1826	1	171	Nova	S...627	11 21	16 26 S	60 45	np, sf	... 28.959	
1826	1	172	1790; 381.	S...628	11 21	60 40 N	0 22	sf	... 13.040	
1824	3	153	88 Leonis.	H&S 127	11 23	15 22 N	50 14	np	... 14.670	Scarcely altered.
1824	3	154	90 Leonis 1 and 2.	H&S 128	11 25	17 48 N	61 8	sp	... 4.452	No change.
			 1 and 3.				36 41	sp	... 0.753	Pos. unchanged.
1826	1	172	Nova	S...629	11 28	22 25 N	5 34	np	... 44.374	
1826	1	173	H. C. 64.	S...630	11 30	27 57 N	4 0	nf	... 5.592	
1824	3	156	93 Leonis.	H&S 129	11 38	21 13 N	86 15	np	... 14.897	
1824	3	157	Nova	H&S 130	11 38	21 2 N	65 3	nf	... 16.861	
1824	3	157	ξ Virginis 1 and 2.	H&S 131	11 39	9 15 N	3 25	np		
			 1 and 3.				53 19	np		
1826	1	173	H. C. 385.	S...631	11 39	68 19 N	89 4	sf	... 11.845	
1826	1	174	IV. 49.	S...632	11 43	9 48 N	61 44	sp	... 30.382	Pos. changed 5° 14'. Dist. diff. 2° 9'
1824	3	158	V. 60.	H&S 132	11 44	16 26 N	75 57	nf	... 37.112	Pos. changed — 5°.
1824	3	158	65 Urs. Maj. 1 and 2.	H&S 133	11 46	47 29 N	55 26	nf	... 4.020	Unchanged.
			 1 and 3.				24 17	sf	... 2.185	Scarcely altered.
1824	3	159	2 Comæ Beren.	H&S 134	11 55	22 28 N	31 15	sp	... 3.685	Very little, if at all changed.
1826	1	175	1790; 376.	S...633	11 56	52 55 N	4 26	sf	... 8.309	
1826	1	175	H. C. 232.	S...634	12 2	15 48 S	7 3	np	... 7.971	
1826	1	176	Nova	S...635	12 2	1 15 S	7 4	np	... 23.673	
1824	3	160	H. C. 354.	H&S 135	12 3	54 28 N	46 19	sp	... 12.102	
1824	3	160	207 Bode Camel.	H&S 136	12 3	82 43 N	13 16	nf	... 3.445	
1824	3	161	H. C. 152.	H&S 137	12 6	6 15 S	18 9	np	... 9.225	
1826	1	176	Nova	S...636	12 6	10 58 N	24 37	sp	... 26.580	
1824	3	161	2 Canum Ven.	H&S 138	12 7	41 40 N	10 29	sp	... 11.534	Unchanged.
1824	3	162	STRUVE, 408.	H&S 139	12 8	81 6 N	50 15	sp	... 15.389	
1824	3	163	145.22.	H&S 140	12 9	2 56 S	72 58	sp	... 21.017	
1824	3	164	55 Bode Com. Ber.	H&S 141	12 12	28 5 N	23 42	sp	... 9.453	

Vol. for	Part.	Page.	Star's Name, &c.	Observer and Number.	R. A.	Decl.	Position.	Quadrant.	Distance.	Remarks.
1824	3	165	17 Virginis	H & S 142	12 13	8 19' N	69 36	np	.. 20.937	Pos. changed + 11° 15', arising from Epoch 1825.30. [proper motion.
1826	1	333		S. Re-exam.			66 15	np	.. 19.910	
1824	3	166	12 Com. Ber.	H & S 143	12 13	26 51' N	78 47	sf	.. 5.950	
1826	1	177	Nova	S....637	12 18	18 58 S	66 54	sf	.. 1.635	
1824	3	167	H. C. 385	H & S 144	12 19	45 50' N	72 52	sf	.. 11.079	
1826	1	177	Nova	S....638	12 20	26 54' N	19 13	sp	.. 24.436	
1824	3	167	3 Corvi	H & S 145	12 21	15 30 S	56 27	sp	.. 24.005	Unchanged.
1824	3	168	H. C. 231	H & S 146	12 22	2 20' N	19 39	np	.. 49.745	
1824	3	169	145.118	H & S 147	12 25	75 46' N	67 10	nf	.. 5.865	Unchanged.
1824	3	169	24 Com. Ber.	H & S 148	12 26	19 22' N	2 7	np	.. 20.647	
1826	1	178	V. 129	S....639	12 29	3 23 S	15 22	sf	.. 50.555	
1826	1	179	Nova	S....640	12 29	4 22 S	5 50	sf	.. 10.197	Epoch 1825.28. Binary; mean mot. — 0°.667. Epoch 1825.32.
1824	3	170	145.38	H & S 149	12 32	12 1 S	29 26	sf	.. 6.881	
1826	1	335		S. Re-exam.			31 27	np, sf	.. 6.077	
1824	3	171	7 Virginis	H & S 150	12 32	0 27 S	13 24	sf	.. 3.794	
1826	1	334		S. Re-exam.			6 53	np	.. 3.263	
1824	3	173	III. 53	H & S 151	12 36	2 54 S	78 15	np	.. 16.766	
1826	1	179	Nova	S....641	12 36	15 20' N	56 35	sp	.. 33.359	
1824	3	174	H. C. 230	H & S 152	12 40	4 42' N	75 38	sp	.. 10.109	Unchanged.
1826	1	180	Nova	S....642	12 40	14 58' N	53 50	np	.. 54.421	
1824	3	174	IV. 58 1 and 2	H & S 153	12 43	20 9' N	67 49	sp	.. 16.963	
.....			 1 and 3				59 23	np	.. 9.666	
.....			 1 and 4				4 0	sf	.. 31.644	Unchanged.
1824	3	175	35 Comæ Ber.	H & S 154	12 44	22 14' N	38 18	sf	.. 29.494	
1824	3	176	H. C. 73	H & S 155	12 44	16 0' N	79 53	sp, nf	.. 7.995	
1826	1	180	Nova	S....643	12 44	17 4 S	25 4	np	.. 23.509	Pos. changed + 7° 55'.
1824	3	176	II. 42	H & S 156	12 46	3 54 S	60 19	sf	.. 6.758	
1824	3	177	P. XII. 221	H & S 157	12 47	12 29' N	73 43	sf	.. 29.170	
1824	3	177	12 Can. Ven.	H & S 158	12 48	39 18' N	43 2	sf	.. 19.764	
1824	3	178	STRUVÉ, 430	H & S 159	12 48	55 1' N	15 15	np	.. 4.136	Unchanged.
1824	3	407	212 BODE Camel.	H & S 373	12 48	84 24' N	57 0	np	.. 22.069	Pos. changed + 7° 50'.
1826	1	181	Nova	S....644	12 51	15 18' N	81 9	sp	.. 27.159	
1826	1	181	Nova	S....645	12 58	1 35' N	84 48	nf	.. 8.098	
1824	3	180	9 Virgin. 1 and 2	H & S 160	13 1	4 34 S	77 8	np	.. 8.301	
.....			 1 and 3				24 3	np		
1826	1	182	Nova	S....646	13 1	16 25' N	72 46	np	.. 4.090	
1826	1	183	Nova	S....647	13 1	1 43 S	56 9	sp	.. 43.129	Distance increased.
1824	3	181	54 Virginis	H & S 161	13 4	17 51 S	56 17	nf	.. 6.774	
1826	1	183	Nova	S....648	13 5	19 0' N	25 22	nf	.. 1.28.970	
1824	3	181	P. XIII. 25	H & S 162	13 6	10 24 S	28 21	nf	.. 44.847	
1824	3	182	H. C. 506	H & S 163	13 15	3 38' N	13 39	nf, sp	.. 28.465	
1824	3	182	ζ Urs. Maj.	H & S 164	13 17	55 52' N	57 46	sf	.. 14.455	Unchanged.
1826	1	184	426 BODE Urs. Maj.	S....649	13 22	60 53' N	21 2	sf	.. 3.1.495	
1824	3	185	V. 128	H & S 165	13 23	11 46 S	11 13	nf	.. 47.720	Distance increased.
1826	1	185	Nova	S....650	13 25	12 33 S	59 10	sf	.. 45.524	
1824	3	186	H. C. 335?	H & S 166	13 26	27 10' N	24 51	nf	.. 9.613	
1826	1	185	Nova	S....651	13 27	25 35 S	77 30	sp	.. 10.350	Pos. changed — 6° 4'. Binary? mean mot. = — 0°.288.
1824	3	186	81 Virginis	H & S 167	13 28	6 57 S	47 16	nf	.. 4.020	
1824	3	408	o 84 Virginis	H & S 374	13 34	4 27' N	40 9	sp	.. 3.918	
1826	1	186	Nova	S....652	13 36	9 40 S	56 50	sf	.. 53.869	
1826	1	186	Nova	S....653	13 38	19 18' N	82 55	sp	.. 30.517	
1826	1	187	Nova	S....654	13 40	39 25' N	32 13	sp	.. 1.10.844	
1824	3	187	H. C. 335	H & S 168	13 41	27 52' N	70 25	sf	.. 5.664	
1826	1	187	Nova	S....655	13 42	18 35' N	14 0	nf	.. 35.054	
1826	1	188	Nova	S....656	13 42	22 12' N	61 50	sp	.. 1.26.033	
1824	3	188	7 Bootis	H & S 169	13 46	19 19' N	29 27	sf	.. 2.6.203	

Vol. for	Part.	Page.	Star's Name, &c.	Observer and Number.	R. A.	Decl.	Position.	Quadrant.	Distance.	Remarks.
1824	3	189	H. C. 162	H & S 170	^{h. m.} 13 46	^{s.} 33 43 N	58 28	np	... 7.780	
1826	1	188	Nova	S....657	13 46	7 12 S	38 16	nf	... 2.699	
1826	1	189	H. C. 335	S....658	13 51	26 41 N	28 52	sp	... 5.016	
1824	3	190	τ Virginis	H & S 171	13 52	2 26 N	19 57	np	.1 19.290	
1824	3	190	145.82	H & S 172	13 54	20 17 N	71 43	sf	... 21.392	
1826	1	189	H. C. 233	S....659	13 56	17 12 S	79 27	sf	... 32.031	
1826	1	190	Nova	S....660	14 0	22 3 N	69 43	nf	... 4.888	
1826	1	190	Nova	S....661	14 1	2 30 S	62 51	nf	... 7.937	
1826	1	191	Nova	S....662	14 3	29 35 N	17 32	sf	... 13.801	
1824	3	191	145.98	H & S 173	14 5	6 14 N	79 20	sp	... 6.049	
1824	3	191	κ Bootis	H & S 174	14 7	52 39 N	31 15	sp	... 13.136	Pos. slightly changed.
1824	3	193	μ Bootis	H & S 175	14 10	52 12 N	56 36	nf	... 38.047	Very little changed.
1824	3	194	P. XIV. 62	H & S 176	14 13	6 56 S	77 6	np	... 5.880	
1824	3	195	H. C. 334	H & S 177	14 14	9 16 N	83 24	sp	... 7.185	
1824	3	196	H. C. 470	H & S 178	14 15	12 3 N	65 17	np	... 10.192	
1824	3	197	χ Turdi Sol.	H & S 179	14 15	19 8 S	25 49	np	... 35.121	
1824	3	198	H. C. 165	H & S 180	14 22	29 6 N	7 36	np	... 25.781	
1824	3	199	π Bootis	H & S 181	14 32	17 12 N	7 53	sf	... 6.889	Unchanged.
1824	3	200	ζ Bootis	H & S 182	14 33	14 31 N	36 58	sf	... 1.683	
1824	3	201	II. 82	H & S 183	14 36	8 27 N	4 27	sf	... 7.335	Unchanged in Position.
1824	3	202	73 Hydræ	H & S 184	14 36	24 40 S	46 40	sf	... 9.995	Changed 8° 25' in Pos.
1824	3	204	μ Bootis	H & S 185	14 37	27 51 N	52 59	np	... 3.931	Binary; mean mot. + 0°.4378.
1826	1	336	S. Re-exam.				54 26	np	... 3.356	Epoch 1825.34.
1826	1	191	Nova	S....663	14 40	23 30 S	50 53	sp	... 56.696	
1824	3	208	α Libræ	H & S 186	14 41	15 15 S	44 33	np	.3 50.853	
1824	3	208	ξ Bootis	H & S 187	14 43	19 51 N	70 54	np	... 8.696	Greatly changed in Pos. and Dist.
1826	1	338	S. Re-exam.				67 0	np	... 7.776	Epoch 1825.37.
1824	3	213	39 Bootis	H & S 188	14 44	49 27 N	44 55	sf	... 4.626	Probably changed in Pos.; our observa-
1824	3	216	145.28	H & S 190	14 48	20 35 S	0 9	np	... 10.833	tions rather dubious.
1824	3	409	18 Libræ	H & S 375	14 49	10 24 S	54 8	nf	... 26.614	
1826	1	192	Nova	S....664	14 53	16 29 N	84 2	sp	... 25.837	
1824	3	215	346 Boë Bootis.	H & S 189	14 55	48 2 N	68 53	sf	... 36.544	Unchanged.
1824	3	216	145.63	H & S 191	14 55	54 33 N	73 10	np	... 40.845	
1826	1	192	Nova	S....665	14 55	17 13 S	1 51	sf	... 25.270	
1824	3	217	145.37	H & S 192	14 56	6 12 N	76 30	np	... 10.749	
1826	1	193	33 Boë Urs. Min.	S....666	14 56	75 36 N	52 3	nf	.2 53.180	
1824	3	218	44 Booris	H & S 193	14 58	48 21 N	40 53	sp	... 2.277	
1824	3	219	H. C. 472	H & S 194	14 59	9 55 N	60 50	sp	... 4.777	
1824	3	410	24 Libræ 1 and 2	H & S 376	15 2	19 6 S	21 39	sf	... 50.629	} 1, 2 and 3 are precisely in a line.
1826	1	193	 1 and 3				21 39	sf?		
1826	1	193	Nova	S....667	15 3	4 55 S	65 39	np	... 31.181	
1824	3	220	97 Boë Libræ	H & S 195	15 4	17 45 S	50 58	sf	... 49.037	
1826	1	194	Nova	S....668	15 4	39 38 N	63 50	np	... 10.740	
1824	3	221	V. 125	H & S 196	15 5	28 36 N	43 17	sp	... 32.553	
1824	3	221	145.62	H & S 197	15 5	19 56 N	80 51	nf	... 25.842	
1824	3	222	H. C. 289	H & S 198	15 5	39 22 N	13 29	np	... 31.239	
1826	1	195	Nova	S....669	15 5	15 5 N	73 8	nf	... 6.057	
1824	3	222	δ Bootis	H & S 199	15 8	34 0 N	10 31	nf	.1 45.333	Slightly changed in Pos.
1824	3	223	H. C. 470	H & S 200	15 10	11 7 N	84 20	sf	... 13.268	
1826	1	195	5 Serpentis	S....670	15 10	2 28 N	50 57	nf	... 10.698	
1824	3	224	κ Coron. Bor.	H & S 201	15 16	30 57 N	64 3	nf	... 1.577	Scarcely changed.
1824	3	225	H. C. 288	H & S 202	15 18	8 41 S	44 39	sf	... 51.760	
1824	3	226	I. 17	H & S 203	15 18	37 59 N	63 42	np	... 1.652	Binary; mean mot. - 0°.5783.
1826	1	339		S. Re-exam.			63 32	np	... 1.421	Epoch 1825.46.

Vol. for	Part.	Page.	Star's Name, &c.	Observer and Number.	R. A.	Decl.	Position.	Quadrant.	Distance.	Remarks.
1824	3	229	μ Bootis.....	H & S. 204	h. m. 15 18	° ' N 38 1 N	° ' 81 51	sf	1.48.539	Unchanged.
1826	1	196	Nova.....	S....671	15 18	10 20 S	42 44	sf	...9.573	
1826	1	197	Nova.....	S....672	15 22	19 35 S	13 14	np	...11.468	
1826	1	197	Nova.....	S....673	15 23	23 52 S	27 24	np, sf	...9.178	
1824	3	231	δ Serpenti.....	H & S. 205	15 26	11 9 N	70 37	sp	...3.053	
1826	1	341	S. Re-exam.				69 49	sp	...3.268	Binary; mean mot. — $0^{\circ}.726$. Epochs 1825.46 and 1825.42.
1824	3	411	STRUVE, 480.....	H & S. 377	15 27	27 20 N	30 20	sp	...5.941	Changed + $5^{\circ} 6'$ in Position.
1824	3	232	178 BODE Libræ.....	H & S. 206	15 30	8 11 S	82 46	sp	...11.862	
1826	1	198	Nova.....	S....674	15 32	36 54 N	5 0	sp	...15.648	
1824	3	233	H. C. 469.....	H & S. 207	15 33	10 33 S	38 5	nf	...27.066	
1824	3	234	ζ Coron. Bor.....	H & S. 208	15 33	37 11 N	30 57	np	...7.168	
1824	3	236	145.32.....	H & S. 209	15 40	36 59 N	53 43	np	...31.517	Changed — $9^{\circ} 8'$ in Pos. and nearly $3''$ in Distance.
1824	3	237	π Urs. Min.....	H & S. 210	15 40	81 2 N	6 43	nf	...31.102	
1824	3	238	II. 85.....	H & S. 211	15 47	1 39 S	55 17	np	...6.882	
1824	3	239	III. 103.....	H & S. 212	15 48	3 56 N	53 4	np	...10.665	
1824	3	240	H. C. 343.....	H & S. 213	15 49	19 24 S	52 10	np	...19.890	
1826	1	198	Nova; A and B.....	S....675	15 51	22 16 N	61 46	sp	...5.086	Binary? Mean mot. — $0^{\circ}.256$. Epoch 1825.50. Not the slightest alteration in the Pos. or Dist. of A. and B. Sir W. H's Pos. = $54^{\circ} 27' sf$. Mr. H. supposes his micrometer was erroneously read off.
.....		199	 A and C.....				33 34	sp	...1.533	
1824	3	240	V. 126.....	H & S. 214	15 52	17 54 N	53 25	sp	...34.923	
1824	3	241	II. 21; 1 and 2.....	H & S. 215	15 54	10 56 S	10 57	sf	...10.601	
.....			 1 and 3.....				78 39	np	...4.41.533	
1824	3	243	ξ Scorpii.....	H & S. 216	15 54	10 52 S	11 37	nf	...6.769	
1826	1	343	 A and B.....	S. Re-exam.			81 54	sf	...1.358	
.....		345	 A and C.....				9 3	nf	...6.901	
.....		346	 B and C.....				17 30	nf		
1826	1	199	ρ Coronæ Bor.....	S....676	15 54	33 52 N	35 6	sf	...19.196	
1824	3	244	θ Scorpii.....	H & S. 217	15 55	19 18 S	63 30	nf	...13.650	Unchanged.
1824	3	245	H. C. 159.....	H & S. 218	15 58	13 49 N	58 44	np	...31.935	
1824	3	246	κ Herculis.....	H & S. 219	16 0	17 32 N	80 25	nf	...31.169	
1824	3	247	γ Scorpii.....	H & S. 220	16 2	18 58 S	68 12	np	...40.817	
1824	3	247	49 Serpent.....	H & S. 221	16 4	14 1 N	41 57	np, sf	...4.215	
1826	1	347	S. Re-exam.				48 10	np	...3.501	Epoch 1825.41.
1824	3	248	σ Coron. Bor.....	H & S. 222	16 8	34 20 N	18 27	nf	...1.455	Binary; mean mot. + 2.13 , much accelerated and Dist. diminished. Epochs 1825.44 and 1825.49 Epoch 1825.53.
1826	1	348	 ν A and B.....	S. Re-exam.			12 29	nf	...1.480	
.....		350	 A and C.....				0 39	sf	...42.175	
1824	3	252	ν Coron. Bor. 1 and 2.....	H & S. 223	16 10	29 36 N	65 33	nf	...1.28.694	
.....			 1 and 3.....				35 9	nf	...2.6.420	
1824	3	254	20 σ Scorpii.....	H & S. 224	16 10	25 9 S	1 11	np	...20.595	Unchanged in Distance. Slightly changed.
1824	3	255	V. 134.....	H & S. 225	16 10	19 36 S	64 58	np	...47.120	
1824	3	256	V. 124.....	H & S. 226	16 10	19 40 S	69 29	nf	...13.280	
1824	3	257	γ Herculis.....	H & S. 227	16 14	19 35 N	26 14	sp	...38.325	
1824	3	259	δ 5 Ophiuchi.....	H & S. 228	16 15	23 1 S	87 30	nf	...4.005	
1826	1	201	II. 88.....	S....677	16 15	14 15 N	48 23	np	...6.770	No material change. Sir W. H's Pos. = $54^{\circ} 6' sp$; it cannot be the same star.
1826	1	202	23 Herculis.....	S....678	16 16	32 45 N	69 38	nf	...36.844	
1824	3	260	H. C. 78.....	H & S. 229	16 18	37 27 N	76 21	np	...10.155	
1824	3	261	III. 102.....	H & S. 230	16 21	11 1 N	71 26	nf	...14.833	
1824	3	261	71 BODE Hercul.....	H & S. 231	16 21	18 47 N	19 12	sf	...3.236	
1824	3	262	II. 23.....	H & S. 232	16 23	5 51 N	51 7	np	...7.649	Probably changed in Pos.
1824	3	263	H. C. 228.....	H & S. 233	16 23	8 42 N	17 29	nf	...59.544	
1824	3	263	36 Hercul.....	H & S. 234	16 32	4 33 N	39 37	sp	...8.839	

Vol. for	Part	Page	Star's Name, &c.	Observer and Number.	R. A.	Decl.	Position.	Quadrant.	Distance.	Remarks.
1824	3	265	17 Dracon.....	H & S. 236	h. m.	53 17 N	25 26	sf	... 4.512	Unchanged.
1826	3	264	Nova.....	S....679	16 32	23 23 N	1 5	sf	... 17.034	
1824	3	262	V. 127; 1 and 2.....	H & S. 235	16 34	6 57 N	21 0	np	... 54.307	
1824	3	267	I and 3.....	H & S. 237	16 35	31 56 N	74 10	sp	... 30.275	
1826	1	351	ζ Herculis.....	S. Re-exam.				..	Single.	1825.57.
1824	3	267	H. C. 369.....	H & S. 238	16 35	24 0 N	21 27	np	... 6.755	
1826	1	203	Nova.....	S....680	16 35	13 58 N	65 36	np	... 13.929	
1824	3	268	43 Herculis.....	H & S. 239	16 37	8 55 N	39 9	sp	... 20.094	
1826	1	203	46 Herculis.....	S....681	16 38	28 42 N	73 51	sf	... 5.391	No certainty in Pos.; but increased in
1824	3	412	19 Ophiuchi.....	H & S. 378	16 38	2 24 N	10 ±	sf	10" or 15"	[Distance.
1826	1	206	Nova; A and B.....	S....682	16 39	30 18 N	59 42	sf	... 14.761	
1826	1	206	 A and C.....				50 27	sf	... 1.4299	
1826	1	206	 A and D.....				76 15	sf	... 1 min. ±	
1826	1	207	Nova.....	S....683	16 42	36 15 N	69 30	np	... 7.158	
1824	3	269	P. XVI. 236.....	H & S. 240	16 46	19 15 S	42 44	sp	... 5.641	
1824	3	269	H. C. 510.....	H & S. 241	16 53	47 36 N	6 3	np	... 55.126	
1824	3	269	21 μ Draconis.....	H & S. 242	17 3	54 43 N	61 39	sp, nf	... 3.907	Binary; mean mot. — 0°.5792.
1826	1	352	 Draconis.....	S. Re-exam.			61 2	sp, nf	... 4.330	Epochs 1825.52 and 1825.47.
1826	1	208	Nova.....	S....684	17 3	30 37 N	89 10	sf	... 24.499	
1824	3	272	36 Ophiuchi 1 and 2.....	H & S. 243	17 4	26 18 S	42 41	sp, nf	... 5.546	
1826	1	208	 1 and 3.....				19 5	np	Distance	Inaccurate from erroneous micrometrical
1826	1	353	 A and B.....	S. Re-exam.			41 32	sp	... 5.200	Epochs 1824.86 and 1825.17. [reading.
1826	1	354	 A and C.....				16 1	np	... 15.252	Epoch 1825.27.
1826	1	355	 B and C.....				17 41	np	... 13.689	Epoch 1825.53.
1824	3	274	α Herculis.....	H & S. 244	17 6	14 36 N	29 33	sf	... 5.286	Unchanged.
1826	1	208	38 Ophiuchi.....	S....685	17 6	26 25 S	60 50	np	... 7.137	Pos. unaltered; Dist. increased 3", if the
1824	3	275	39 Ophiuchi.....	H & S. 245	17 7	24 5 S	85 47	np	... 12.512	Unchanged in Pos. [same star.
1824	3	276	δ Herculis.....	H & S. 246	17 8	25 3 N	82 10	sf	... 28.869	Altered + 9° 42' in Pos. and — 5".349 in
1826	1	364	 S. Re-exam.				83 33	sf	... 26.694	Epoch 1825.50. [Dist.
1824	3	277	γ Serp. Ophiuch.....	H & S. 247	17 11	12 39 S	59 13	nf	... 50.213	
1826	1	210	Nova.....	S....686	17 11	28 57 N	85 31	nf	... 54.982	
1826	1	210	70 Herculis.....	S....687	17 13	24 41 N	33 26	nf	... 38.339	
1824	3	277	γ Herculis.....	H & S. 248	17 17	37 19 N	37 53	np	... 4.463	Pos. changed 7° 32'; Dist. + 1".494.
1826	1	211	Nova.....	S....688	17 18	37 8 N	76 13	nf	... 33.348	
1826	1	211	Nova.....	S....689	17 19	39 25 N	71 39	sp	... 29.272	
1826	1	212	Nova.....	S....690	17 23	35 5 N	39 25	sf	... 10.799	
1824	3	278	53 Ophiuchi.....	H & S. 249	17 26	9 43 N	78 41	sp	... 41.662	Unchanged in Pos.
1824	3	279	γ Draconis.....	H & S. 250	17 29	55 19 N	42 23	np, sf	... 2.242	Unchanged in Pos.
1824	3	280	254 Bode Oph. 1 & 2.....	H & S. 251	17 30	2 8 N	58 7	np	... 51.213	
1826	1	213	 1 and 3.....				68 37	nf	... 18.090	
1826	1	213	 2 and 3.....				27 23	nf	... 54.310	
1826	1	213	III. 104. A and B.....	S....691	17 34	24 30 N	81 2	nf	... 17.214	Change in Pos. + 2° 46' and + 2".881 in
1824	3	281	61 Ophiuchi.....	H & S. 252	17 36	2 41 N	3 33	sf	... 20.520	[Dist.
1824	3	283	H. C. 348.....	H & S. 253	17 36	13 14 S	66 48	sp	... 15.869	Unchanged.
1826	1	214	Nova.....	S....692	17 38	31 14 N	65 33	np	... 5.029	
1826	1	214	μ Herculis.....	S....693	17 39	27 50 N	29 14	sp	... 29.297	Probably unchanged.
1826	1	215	295 Bode Oph.....	S....694	17 43	1 10 N	32 6	sp	... 22.681	
1826	1	216	Nova.....	S....695	17 43	25 19 N	54 30	sf	... 6.768	
1824	3	284	↓ Draconis.....	H & S. 254	17 45	72 14 N	75 14	nf	... 31.777	
1826	1	216	Nova.....	S....696	17 51	6 51 S	77 45	np	... 8.396	
1824	3	285	67 Ophiuchi.....	H & S. 255	17 52	2 57 N	53 4	sf	... 55.288	
1824	3	286	H. C. 168.....	H & S. 256	17 52	30 5 N	8 53	np	... 20.181	
1824	3	412	145.40.....	H & S. 379	17 52	22 58 S	61 45	sp	... 10.952	
1824	3	287	95 Herculis.....	H & S. 257	17 54	21 36 N	8 8	nf	... 6.623	
1826	1	217	II. 90.....	S....697	17 54	26 33 N	71 46	sf	... 7.503	Perhaps slight change in Pos.

Vol. for	Part.	Page.	Star's Name, &c.	Observer and Number.	R. A.	Decl.	Position.	Quadrant.	Distance.	Remarks.
1826	1	217	Nova	S...698	h. m.	o ' S	o ' S	np	... 30.922	Binary; mean mot. — 6°.811; not uniform. Epoch 1825.56.
1824	3	288	70 ρ Ophiuchi	H&S 258	17 54	22 30 N	47 27	sf	... 4.266	
1826	1	365		S. Re-exam.	17 56	2 33 N	64 48	sf	... 4.765	
1826	1	218	Nova	S...699	17 56	25 23 N	58 3	sf	... 18.744	
1824	3	292	H. C. 362.	H&S 259	17 57	64 9 N	53 17	np	... 21.093	
1824	3	293	III. 56	H&S 260	17 57	12 0 N	12 21	sp	... 6.748	Scarcely altered.
1826	1	219	Nova	S...700	18 0	16 43 S	84 38	np	... 28.969	Distance increased.
1824	3	294	73 ρ Ophiuchi	H&S 261	18 1	3 57 N	12 23	sp	... 1.989	
1824	3	296	100 Herculis	H&S 262	18 1	26 5 N	87 35	nf, sp	... 14.281	
1824	3	296	Nova	H&S 263	18 7	18 49 S	77 52	nf	... 54.302	
1824	3	297	STRUVE, 569.	H&S 264	18 8	18 38 S	37 22	nf	... 16.419	
1824	3	298	I. 86.	H&S 265	18 12	25 28 N	82 48	np	... 4.587	Unchanged.
1824	3	299	H. C. 298	H&S 266	18 12	15 10 S	51 37	sp, nf	... 14.091	
1824	3	299	40 Cep. or Drac.	H&S 267	18 13	71 58 N	34 56	sp	... 21.362	
1826	1	219	H. C. 474	S...701	18 15	6 41 S	71 0	sp	... 6.761	
1824	3	301	59 δ Serpent.	H&S 268	18 18	0 5 N	48 5	np	... 4.151	
1826	1	371		S. Re-exam.			48 34	np	... 4.465	Epoch 1825.54.
1826	1	220	Nova	S...702	18 20	19 13 N	76 51	sp, nf	... 6.288	Binary? mean mot. — 0°.205. Epoch 1825.55.
1824	3	303	39 Dracon. 1 and 2.	H&S 269	18 21	58 42 N	86 5	nf	... 3.599	
.....							68 5	nf	... 30.201	
1826	1	372	 1 and 2.	S. Re-exam.			84 40	nf	... 3.593	
1826	1	373	 1 and 3.				68 36	nf	... 28.939	
1826	1	220	Nova	S...703	18 25	32 8 N	66 9	sp	... 6.433	
1824	3	305	H. C. 300	H&S 270	18 30	52 13 N	4 34	np	... 26.226	
1824	3	305	H. C. 294	H&S 271	18 30	41 7 N	70 15	np	... 6.000	
1824	3	307	α Lyrae	H&S 272	18 31	38 37 N	42 7	sf	... 42.108	
1826	1	374		S. Re-exam.			43 30	sf	... 41.563	
1826	1	221	H. C. 87	S...704	18 32	9 33 N	1 4	sp	... 67.657	Binary? mean mot. — 0°.19. Binary; mean mot. — 0°.325. Epoch 1825.53.
1824	3	309	IV. 94	H&S 273	18 36	34 32 N	5 51	nf	... 24.630	
1824	3	310	H. C. 296	H&S 274	18 36	10 39 S	66 18	np	... 5.306	
1824	3	310	5 Aquilæ	H&S 275	18 37	1 9 S	32 42	sf	... 14.468	
1824	3	311	4, ϵ Lyrae	H&S 276	18 38	39 27 N	64 7	nf	... 4.010	
1824	3	313	inter 1 and 5 Lyrae	H&S 277	18 38	39 27 N	50 $\pm$		... 53 $\pm$	
1824	3	314	5 Lyrae	H&S 278	18 38	39 27 N	69 56	np, sf	... 3.801	
1826	1	375		S. Re-exam.			69 11	np, sf	... 3.340	
1824	3	315	ζ Lyrae	H&S 279	18 38	37 25 N	59 51	sf	... 44.240	
1826	1	221	Nova	S...705	18 39	34 22 N	68 12	sf	... 4.492	
1824	3	317	H. C. 170	H&S 280	18 42	10 47 N	85 28	sp	... 4.794	Change of Pos. = + 5° 21'.
1826	1	222	γ Lyrae	S...706	18 42	32 37 N	33 58	sf	... 59.840	
1824	3	317	β Lyrae	H&S 281	18 43	33 10 N	60 1	sf	... 45.778	
1824	3	318	H. C. 19?	H&S 282	18 48	33 46 N	80 15	np	... 46.035	
1824	3	319	θ Serpentis	H&S 283	18 48	3 58 N	14 26	sf	... 21.679	
1824	3	320	$\circ$ Draconis	H&S 284	18 49	59 10 N	79 11	np	... 29.949	No material change. Unchanged. Pos. changed 7° 21'; ann. mot. + 0°.173.
1826	1	223	11 Aquilæ	S...707	18 51	13 23 N	29 28	sp	... 19.658	
1826	1	224	II. 93	S...708	18 52	14 41 N	18 19	np	... 6.677	
1826	1	225	I. 58	S...709	18 52	36 11 N	20 21	np	... 5.478	
1824	3	321	P. XVIII. 274	H&S 285	18 54	0 58 S	58 49	sf	... 26.019	
1824	3	322	15 Aquilæ	H&S 286	18 56	4 17 S	63 16	sp	... 35.619	Unchanged.
1826	1	226	Nova	S...710	18 57	16 33 S	85 25	nf	... 7.054	
1826	1	226	Nova	S...711	18 57	27 4 S	34 32	sf	... 45.108	
1824	3	323	III. 109	H&S 287	18 58	6 53 N	22 14	np	... 8.521	
1826	1	227	I. 59	S...712	18 58	35 32 N	76 34	sp	... 2.700	
1826	1	228	233 BODE Dracon.	S...713	18 59	75 33 N	52 16	sp	... 6.549	
1824	3	324	H. C. 19?	H&S 288	19 2	34 18 N	10 27	np	... 17.124	
1826	1	229	Nova	S...714	19 2	34 28 N	1 49	sp	... 13.063	
1824	3	325	Prec. ϵ Lyrae	H&S 289	19 6	38 44 N	32 18	nf	... 40.391	
1824	3	325	6 BODE Cygni	H&S 290	19 7	49 31 N	44 6	sp	... 10.576	

Vol. for	Part.	Page.	Star's Name, &c.	Observer and Number.	R. A.	Decl.	Position.	Quadrant.	Distance.	Remarks.
1824	3	326	γ Lyræ.....	H & S 291	h. m. 19 8	38 51' N	5 58	nf	... 29.336	
1826	1	229	Nova.....	S....715	19 8	16 15 S	74 33	nf	... 9.176	
1826	1	230	Nova.....	S....716	19 8	16 14 S	70 51	sp	... 6.286	
1824	3	327	θ Lyræ.....	H & S 292	19 10	37 49' N	17 52	nf	... 41.665	
1824	3	328	H. C. 90.....	H & S 293	19 11	5 16' N	87 45	np	... 31.420	
1826	1	231	28 Aquilæ.....	S....717	19 11	12 1' N	85 6	sf	... 59.280	Sir W. H. has no measures of this star.
1824	3	329	H. C. 111.....	H & S 294	19 18	9 54 S	35 49	sf	... 11.314	
1824	3	330	III. 57.....	H & S 295	19 19	20 46' N	63 26	np, sf	... 6.938	Changed + 4° 50' in Pos.; Dist. unaltered.
1824	3	331	II. 69.....	H & S 296	19 21	36 10' N	23 16	nf, sp	... 7.430	Changed + 5° 56' in Pos.
1824	3	332	β Cygni.....	H & S 297	19 24	27 35' N	35 15	nf	... 34.383	Unchanged.
1826	1	231	II. 99.....	S....718	19 25	27 54' N	85 38	nf	... 6.840	Probably unchanged.
1826	1	232	Nova A and B.....	S....719	19 25	36 21' N	33 27	nf	... 6.295	
1826	1	233	 A and C.....	S....720	19 27	10 33 S	46 3	np	... 4.488	Probably annual motion = + 0°.148.
1826	1	234	Sagittæ.....	S....721	19 29	16 4' N	8 57	nf	... 31.913	Unchanged.
1826	1	235	H. C. 116.....	S....722	19 29	17 19 S	32 45	sp	... 10.669	
1824	3	334	151 BODE Aquilæ.....	H & S 298	19 34	8 43 S	56 34	sf	... 37.112	
1826	1	236	I. 91.....	S....723	19 36	10 21' N	6 27	np	... 3.994	Probably a slow change of Pos.
1824	3	335	16 Cygni.....	H & S 299	19 37	50 6' N	45 13	np, sf	... 37.504	Probably unchanged.
1824	3	336	STRUVE, 634.....	H & S 300	19 38	33 14' N	56 15	np	...	
1824	3	336	Nova 1 and 2.....	H & S 301	19 38	33 14' N	15 56	nf	... 25.871	
1824	3	336	 1 and 3.....				57 35	sf		
1824	3	337	STRUVE, 635.....	H & S 302	19 38	77 52' N	68 30	nf	... 11.936	
1824	3	338	STRUVE, 636 1 and 2.....	H & S 303	19 38	35 39' N	36 52	sf	... 15.133	
1826	1	236	Nova.....	S....724	19 39	20 30' N	18 5	sp	... 19.831	
1824	3	339	γ Cygni.....	H & S 304	19 39	44 42' N	6 34	sp	... 5.122	
1826	1	376		S. Re-exam.			Single.			1825.
1826	1	337	V. 137.....	S....725	19 39	34 37' N	60 49	nf	... 38.745	No material change.
1824	3	339	χ Cygni.....	H & S 305	19 40	33 20' N	16 42	sf	... 25.503	Probably unchanged.
1826	1	238	Nova.....	S....726	19 40	32 27' N	63 30	sp	... 33.444	have been 35°.27' sf. (S.)
1824	3	340	π Aquilæ.....	H & S 306	19 41	11 22' N	45 27	sf	... 1.957	Micrometer read off incorrectly; should
1826	1	377		S. Re-exam.			33 27	sf	... 1.549	Epoch 1825.61. Unchanged.
1824	3	340	ζ Sagittæ.....	H & S 307	19 41	18 43' N	44 32	np	... 8.818	Binary? mean motion.
1824	3	342	α Aquilæ.....	H & S 308	19 42	8 24' N	55 48	np	... 33.375	Common proper motion.
1826	1	238	II. 95.....	S....727	19 43	0 2' N	26 42	np	... 5.587	No sensible variation.
1826	1	239	III. 112.....	S....728	19 43	43 55' N	70 23	sf	... 10.415	Unchanged.
1824	3	343	57 Aquilæ.....	H & S 309	19 45	8 42 S	81 8	sf	... 36.158	
1824	3	344	STRUVE, 647.....	H & S 310	19 45	19 53' N	58 30	np, sf	... 42.427	
1824	3	345	δ Draconis.....	H & S 311	19 49	69 48' N	85 21	np	... 2.590	Probably unchanged.
1824	3	346	ψ Cygni.....	H & S 312	19 51	51 58' N	88 0	sp	... 4.321	Pos. unchanged.
1826	1	240	Nova; A and B.....	S....729	19 52	35 3' N	25 47	np	... 4.318	
1826	1	241	 A and C.....				34 12	sp	... 2.884	
1826	1	241	nf χ Sagittæ.....	S....730	19 52	17 7' N	74 10	nf	... 1.55.931	
1826	1	241	Nova.....	S....731	19 53	46 5' N	63 24	sp, nf	... 5.992	
1824	3	348	I. 96 1 and 2.....	H & S 313	19 56	35 32' N	86 52	sf	... 2.467	
1824	3	348	 1 and 3.....				59 29	np	... 41.335	} Hardly changed in Pos.
1824	3	349	H. C. 16; 1 and 2.....	H & S 314	20 0	35 18' N	30 58	np	... 10.793	
1824	3	350	 1 and 3.....				61 48	nf	... 36.523	
1824	3	351	Nova.....	H & S 315	20 0	35 17' N	33 26	sp	... 20.164	
1824	3	352	Nova.....	H & S 316	20 0	35 7' N	54 3	np	... 9.479	
1826	1	243	Nova.....	S....732	20 0	20 36' N	71 0	np	... 4.518	
1826	1	243	Nova.....	S....733	20 2	34 57' N	32 48	np	... 5.355	
1826	1	244	II. 70.....	S....734	20 2	16 16' N	75 24	nf	... 6.605	Probably unchanged.
1826	1	244	V. 136.....	S....735	20 2	0 40 S	67 43	sp	... 54.670	Unchanged.
1826	1	245	θ Sagittæ A and B.....	S....736	20 2	20 22' N	57 58	np	... 11.777	Distance unchanged. Posit. not given by
1826	1	246	 A and C.....				43 11	sp	... 10.088	[Sir W. H.]
1826	1	247	Nova.....	S....737	20 2	20 25' N	39 24	sf	... 41.069	
1824	3	353	II. 96.....	H & S 317	20 3	0 19' N	61 48	sp	... 4.100	Perhaps a slow change in Pos.

Vol. for	Part	Page	Star's Name, &c.	Observer and Number.	R. A.	Decl.	Position.	Quadrant.	Distance.	Remarks.
1826	1	247	H. C. 297.....	S....738	^{h.} 20 ^{m.} 4	33° 7' N	22 15	sf	41.862	
1826	1	248	Nova.....	S....739	20 5	6 33 S	39 26	nf	25.116	
1826	1	248	P. XX. 43; 44.....	S....740	20 5	6 4 N	77 11	sp, nf	43.893	
1824	3	354	H. C. 182.....	H & S 318	20 6	4 2 S	36 33	sp	14.491	
1826	1	249	Nova; A and B.....	S....741	20 7	21 45 N	86 13	nf	6.439	
.....			 A and C.....				60 12	sf	57.325	
1824	3	355	α Capricorni.....	H & S 319	20 8	13 3 S	21 26	np	12.999	
1826	1	250	σ Cygni.....	S....742	20 8	46 12 N	83 53	sf	46.393	Pos. changed 8° 53'.
1824	3	413	σ Capricorni.....	H & S 380	20 9	19 40 S	86 27	sf	53.704	
1826	1	251	32 Cygni.....	S....743	20 10	47 10 N	85 34	sf	28.496	
1826	1	251	Nova.....	S....744	20 11	12 28 N	52 51	np	28.383	
1826	1	252	β Capricorni A and B.....	S....745	20 11	15 21 S	2 54	sp	23.715	} No measures given by Sir W. H.
.....			 A and C.....				43 40	sf	46.716	
1826	1	253	H. C. 240.....	S....746	20 12	45 4 N	43 28	sp	8.915	
1824	3	355	I. 95.....	H & S 320	20 14	54 48 N	69 39	np	3.980	
1826	1	258	Nova; A and B.....	S....747	20 14	15 50 N	61 40	sf	30.745	
.....			 B and C.....				17 ±	nf	13 ±	Each by estimation.
1824	3	356	κ Cephei.....	H & S 321	20 15	77 10 N	38 4	sf	8.138	Distance increased 3".
1826	1	379		S. Re-exam.			36 24	sf	7.871	Epoch 1825.67.
1826	1	254	H. C. 176.....	S....748	20 18	13 44 S	23 25	nf	23.803	
1826	1	255	P. XX. 140.....	S....749	20 18	2 42 S	80 35	sp	59.872	
1824	3	358	ε Capricorni. VI. 29.....	H & S 322	20 19	18 24 S	60 45	sf	58.021	
.....			 II. 51.....	H & S 323	20 20	18 24 S	87 17	sf	4.026	
1824	3	361	ο 12 Capricorni.....	H & S 324	20 20	19 10 S	30 17	sp	22.060	
1826	1	255	Nova.....	S....750	20 22	25 48 N	54 13	np	6.711	
1826	1	256	15 BODE Delphin.....	S....751	20 22	10 45 N	13 35	nf	14.689	Pos. changed 3° 53'; Dist. increased 2".6.
1826	1	256	H. C. 537.....	S....752	20 22	18 48 N	18 38	np	45.377	
1826	1	257	37 BODE Cephei.....	S....753	20 22	56 3 N	29 38	sf	26.446	
1824	3	362	H. C. 109.....	H & S 325	20 23	10 35 N	14 22	sp	15.484	
1826	1	258	Nova.....	S....754	20 23	25 53 N	31 14	np	25.674	
1826	1	258	210 BODE Cygni.....	S....755	20 25	48 37 N	8 49	np	1.387	
1826	1	259	ω Cygni.....	S....756	20 26	48 37 N	49 1	np	55.791	
1826	1	260	Nova.....	S....757	20 26	27 31 N	31 33	np	4.468	
1826	1	261	H. C. 114.....	S....758	20 27	13 21 S	73 49	sp	10.256	
1826	1	261	IV. 92; A and B.....	S....759	20 28	14 8 N	19 58	sf	25.083	Unchanged.
.....			 A and C.....				52 55	sp	54.299	
1824	3	362	Nova.....	H & S 326	20 32	38 5 N	88 43	np	9.478	
1826	1	262	H. C. 106.....	S....760	20 34	12 6 N	3 0	nf, sp	9.194	
1826	1	263	Nova.....	S....761	20 37	23 17 N	61 56	np	2.049	
1826	1	263	52 Cygni.....	S....762	20 37	30 4 N	32 40	nf	7.202	Unchanged.
1824	3	363	γ Delphini 1 and 2.....	H & S 327	20 38	15 29 N	3 43	np	12.317	
.....			 1 and 3.....				78 35	nf	20.857	
1826	1	264	H. C. 177.....	S....763	20 38	18 51 S	25 6	np	16.749	Change of Pos. 6° 17'. Unchanged.
1826	1	264	II. 66.....	S....764	20 38	15 14 N	84 59	np	4.979	
1826	1	266	λ Cygni.....	S....765	20 40	35 50 N	14 29	sf	25.590	
1826	1	266	Nova.....	S....766	20 42	5 46 N	69 31	np	3.998	
1826	1	267	II. 100.....	S....767	20 43	51 17 N	15 24	nf	4.409	Unchanged.
1826	1	268	P. XX. 355.....	S....768	20 44	6 40 N	54 44	sf	40.598	
1824	3	364	ε Equulei.....	H & S 328	20 50	3 36 N	10 39	nf	12.374	
1826	1	268	Nova.....	S....769	20 50	15 47 N	14 2	sp	14.987	
1826	1	269	280 BODE Cygni.....	S....770	20 53	49 46 N	57 9	nf	2.449	Pos. changed — 10° 45'.
1826	1	270	Nova.....	S....771	20 55	6 30 S	78 20	sp	3.227	
1826	1	271	Nova.....	S....772	20 56	2 51 N	59 31	sf	3.613	
1826	1	272	STRUVE, 704.....	S....773	20 57	34 44 N	59 54	nf	23.249	Binary; mean mot. + 0°. 730. Epoch 1825.70.
1824	3	365	61 Cygni.....	H & S 329	20 59	37 52 N	5 19	nf	15.425	
1826	1	381		S. Re-exam.			3 4	nf	15.444	
1826	1	272	Nova.....	S....774	20 59	33 26 N	47 9	sp	14.324	
1826	1	273	II. 97.....	S....775	21 1	29 29 N	45 12	np	3.576	Unaltered.

Vol. for	Part.	Page.	Star's Name, &c.	Observer and Number.	R. A.	Decl.	Position.	Quadrant.	Distance.	Remarks.
1826	1	273	STRUVE, 709.....	S....776	21 2	21 43 N	30 53	np	... 17.685	
1826	1	274	1789.213.....	S....777	21 2	61 26 N	32 31	np	... 6.825	
1826	1	275	Nova.....	S....778	21 2	8 50 N	5 55	sp, nf	... 3.087	
1826	1	276	STRUVE, 710.....	S....779	21 2	38 1 N	79 15	nf	... 54.785	
1826	1	276	Nova.....	S....780	21 2	19 16 N	58 20	nf, sp	... 2.933	
1826	1	277	19 BODE Equulei...	S....781	21 4	6 28 N	82 58	np	... 3 3.241	Annual mot. = $0^{\circ} 8' 38''$ in Pos. & $+0''.154$ in Dist.
1826	1	278	Equulei.....	S....782	21 6	9 17 N	44 3	np	... 26.340	
1826	1	279	H. C. 197.....	S....783	21 7	8 23 S	82 22	sf	... 4.837	
1826	1	280	Nova.....	S....784	21 11	8 48 N	84 53	sp	... 2.642	
1826	1	281	STRUVE, 718.....	S....785	21 13	52 15 N	26 33	sf, np	... 6.641	
1826	1	281	327 BODE Cygni...	S....786	21 13	52 19 N	32 22	np	... 48.739	No notable change.
1826	1	282	1 Pegasi.....	S....787	21 14	19 3 N	40 11	np	... 36.861	
1826	1	283	H. C. 197.....	S....788	21 14	7 20 S	6 30	np	... 36.784	
1826	1	283	Nova.....	S....789	21 18	12 56 N	56 29	sf	... 4.880	
1826	1	284	69 Cygni.....	S....790	21 18	35 33 N	11 22	sp	... 40.305	
1826	1	284	Nova.....	S....791	21 20	10 19 N	68 5	np, sf	... 1.195	Perhaps a very slow change of Pos.
1826	1	285	Nova.....	S....792	21 24	33 2 N	79 23	sp, nf	... 4.321	
1826	1	285	Nova.....	S....793	21 25	19 56 N	41 40	np	... 2.580	
1824	3	369	β Cephei.....	H&S 330	21 26	69 46 N	19 35	sp	... 13.163	
1824	3	370	3 Pegasi.....	H&S 331	21 28	5 48 N	78 58	np	... 39.525	
1826	1	286	Nova.....	S....794	21 31	35 3 N	72 3	sf	... 8.172	Change of Pos. $-3^{\circ} 51'$, of Dist. $+0''.3$. Ch. of Pos. $-4^{\circ} 54'$ & $+0''.77$ in Dist. Sir W. H. has no measures of this star.
1826	1	287	III. 71.... A and B.	S....795	21 33	56 41 N	31 33	sf	... 11.945	
			 A and C				69 3	np	... 19.383	
1826	1	288	76 Cygni.....	S....796	21 34	39 59 N	40 52	sp	... 5.645	
1826	1	288	III. 72.....	S....797	21 35	56 46 N	33 35	nf	... 12.150	
1826	1	289	1 Pegasi.....	S....798	21 35	9 3 N	52 59	np	... 18.514	Pos. unchanged.
1824	3	370	μ Cygni I and 2	H&S 332	21 36	27 56 N	23 4	sf	... 5.744	Diminished in Distance.
			 I and 3				28 43	nf	... 37.401	
1826	1	289	79 Cygni; A and B.	S....799	21 36	37 29 N	30 39	nf	... 33.170	
			 A and C.				50 8	np	... 2 1/2 min. $\pm$	
1824	3	373	145-74?.....	H&S 333	21 46	18 55 N	20 15	sf	... 22 052	
1824	3	374	145-57?.....	H&S 334	21 46	54 59 N	76 11	sp	... 20 308	Epoch 1824.84.
1824	3	375	III. 74.....	H&S 335	21 49	5 6 N	33 29	nf	... 10.093	
1824	3	375	Near III. 74.....	H&S 336	21 49	5 6 N	44 0	sp	... 1 45.858	
1826	1	290	1789.213.....	S....800	21 49	61 45 N	55 21	sf	... 1 2.836	
1826	1	291	H. C. 571.....	S....801	21 52	12 51 S	30 4	sf	... 20.453	
1826	1	291	29 Aquarii.....	S....802	21 53	17 49 S	26 38	sp	... 4.370	
1826	1	292	Nova.....	S....803	21 57	12 48 N	7 9	sp, nf	... 3.288	
1824	3	376	ξ Cephei.....	H&S 337	21 58	63 45 N	23 15	np	... 5.817	
1826	1	292	1789.218.....	S....804	22 0	69 20 N	83 43	sf	... 16.606	
1826	1	293	Nova.....	S....805	22 0	36 45 N	22 40	nf	... 12.774	
1824	3	376	P. XXII. 11.12	H&S 338	22 3	58 25 N	45 13	np	... 22.094	
1824	3	377	145-56.....	H&S 339	22 4	21 53 S	30 42	sf	... 5.170	
1826	1	293	180 BODE Cephei...	S....806	22 4	81 58 N	12 8	nf	... 13.567	
1826	1	294	Nova.....	S....807	22 6	28 41 N	21 15	sf	... 1.794	
1824	3	378	145-120.....	H&S 340	22 7	69 17 N	15 31	sp	... 14.839	
1824	3	378	1 Lacertæ.....	H&S 341	22 8	36 51 N	78 43	sp	... 15.619	Epoch 1824.84.
1826	1	382	 S. Re-exam.				77 11	sp	... 15.732	
1824	3	379	33 Pegasi.....	H&S 342	22 15	19 56 N	75 45	np	... 56.045	
1824	3	380	STRUVE, 751.....	H&S 343	22 16	65 50 N	2 37	sf	... 3.723	
1826	1	295	Nova.....	S....808	22 16	21 5 S	64 35	sf	... 6.457	
1824	3	381	145-64.....	H&S 344	22 17	44 27 N	0 5	nf	... 4.238	Binary; mean mot. $-0^{\circ}.4484$. Epoch 1825.73.
1824	3	382	53 Aquarii.....	H&S 345	22 17	17 39 S	3 7	np	... 10.032	
1824	3	383	5 Aquarii.....	H&S 346	22 20	0 57 S	89 29	sp	... 4.989	
1826	1	383	 S. Re-exam.				88 56	nf	... 4.014	

Vol. for	Part	Page	Star's Name, &c.	Observer and Number.	R. A.	Decl.	Position.	Quadrant.	Distance.	Remarks.
1824	3	385	δ Cephei	H & S 347	h. m.	o ' "	o ' "			
1826	1	295	Nova	S....809	22 23	57 30 N	78 44	sp	1.4.612	
1826	1	295	H. C. 108	S....810	22 24	6 31 N	79 41	np, sf	12.897	
1824	3	386	8 Lacertæ 1 and 2	H & S 348	22 25	3 19 N	55 35	sf	14.062	
1826	1	296	 1 and 3	S....811	22 28	38 42 N	85 39	sp	22.674	
1826	1	296	STRUVE, 758	S....811	22 29	37 57 N	67 26	sf	22.520	
1826	1	296		S....811	22 29	37 57 N	67 26	np	21.175	
1826	1	297	H. C. 181	S....812	22 30	13 28 S	56 46	sf, np	6.011	
1826	1	297	10 Lacertæ	S....813	22 31	38 7 N	41 19	np	0.444	No material change.
1826	1	298	Nova	S....814	22 33	29 7 N	9 42	np, sf	18.522	
1826	1	299	12 Lacertæ	S....815	22 33	39 17 N	73 28	sf	12.073	Unaltered.
1824	3	387	213 BODE Aquar.	H & S 349	22 34	9 11 S	51 19	np	3.398	
1826	1	299	π Pegasi	S....816	22 35	29 17 N	68 56	np	29.823	Sir W. H. has no measures of this star.
1826	1	300	γ^1 Aquarii	S....817	22 38	15 0 S	22 47	sf	30.536	Diff. of Pos. $2^\circ 53'$; dimin. of Dist. $5'.1$.
1824	3	388	231 BODE Aquar. 1 & 2	H & S 350	22 39	5 9 S	24 24	sp	4.349	
1826	1	301	 1 and 3	S....818	22 40	14 33 S	22 24	sf	57.381	
1826	1	301	γ^2 Aquarii	S....818	22 40	14 33 S	22 24	np	13.438	Pos. changed $3^\circ 54'$.
1826	1	301	Nova	S....819	22 41	30 23 N	20 31	np, sf	3.712	
1826	1	302	1789.219	S....820	22 42	71 56 N	9 21	np	0.895	
1824	3	389	16 Lacertæ	H & S 351	22 48	40 39 N	44 41	np	4.541	
1826	1	303	Nova	S....821	22 50	26 49 N	82 11	np	6.850	
1826	1	303	Nova	S....822	22 57	32 26 N	70 48	sf	3.434	
1824	3	390	P. XXII. 306	H & S 352	22 59	31 51 N	58 19	sf	8.716	
1824	3	391	H. C. 242	H & S 353	23 2	46 59 N	17 0	sp	14.709	
1826	1	304	2 Cassiopeiæ	S....823	23 2	58 21 N	73 20	sf	46.683	Sir W. H. gives no measures of this star.
1826	1	304	H. C. 191	S....824	23 2	12 54 S	12 41	sf	4.207	
1826	1	305	Nova	S....825	23 2	35 55 N	49 58	np	5.331	
1826	1	305	H. C. 191; A and B	S....826	23 5	9 52 S	86 10	sf	26.276	
1826	1	305	 A and C	S....827	23 5		19 10	sf	38.168	
1826	1	306	ψ Aquarii	S....827	23 6	10 4 S	41 8	np	49.835	Probably not Sir W. H's. star.
1824	3	392	94 Aquarii	H & S 354	23 10	14 26 S	76 41	np	14.998	
1826	1	307	Nova	S....828	23 13	34 29 N	86 13	sp	5.117	
1826	1	308	P. XXIII. 69	S....829	23 14	9 27 S	4 4	np	7.981	
1826	1	308	κ Piscium	S....830	23 18	0 16 N	74 56	np	30.090	Sir W. H. has no measures of this star.
1826	1	308	STRUVE, 783	S....831	23 21	4 17 N	84 1	sp	11.681	
1824	3	393	Anonyma	H & S 355	23 22	57 32 N	0 0	p	13.953	
1826	1	309	II. 94 or Nova?	S....832	23 23	42 50 N	41 52	np	4.389	Pos. changed probably $6^\circ 42'$, if II. 94.
1826	1	310	H. C. 128	S....833	23 32	5 17 N	41 34	np	14.575	
1824	3	393	107 Aquarii	H & S 356	23 37	19 41 N	53 30	sf	5.056	
1826	1	310	IV. 107	S....834	23 38	27 28 N	53 31	np	32.248	Differs $3^\circ 10'$ from Sir W. H's. Pos.
1826	1	311	20 Piscium	S....835	23 39	3 46 S	17 13	np	50.924	
1824	3	394	28 BODE Andr. 1 & 2	H & S 357	23 43	30 54 N	0 17	sp, np	5.011	
1826	1	311	 1 and 3	S....836	23 46	30 52 N	45 25	sf	45.941	
1824	3	395	Nova	S....837	23 49	23 22 N	59 11	np	41.297	
1826	1	311		S....836	23 49	23 22 N	44 38	np	9.361	
1824	3	396	τ Cassiopeiæ	H & S 359	23 50	54 45 N	57 41	np	2.924	Doubtful if changed or not.
1824	3	397	37 BODE Androm. ..	H & S 360	23 51	32 43 N	81 38	sp	5.263	
1826	1	312	STRUVE, 794	S....837	23 54	65 6 N	19 24	np	15.427	
1826	1	312	9 Cassiopeiæ	S....838	23 55	61 17 N	74 23	sp	5.423	Manifestly not Sir W. H's. star.

A careful revision of the former communication on Double Stars, Phil. Trans. 1824. iii. has led to the detection (among several errata of trifling importance), to the following of a graver character, which the reader of that paper is earnestly requested to correct in his Copy.

Page, &c.	Error.	Correction.
124.....	Mean 54 Cancr.	Near 54 Cancr.
216.....	48.845	40.845
325.....	4.13	44.6
337.....	97.60	107.60
337 twice and in Index, Star No. 301.....	23.467	25.871
338.....	$Z = + 1.44$	$Z = - 1.44$
355.....	$Z = - 0.12$	$Z = + 0.12$
167 and in Index No. 144.....	$\left\{ \begin{array}{l} 73^{\circ} 50' \\ 73 \quad 54 \\ 73 \quad 52 \end{array} \right.$	$\left\{ \begin{array}{l} 72^{\circ} 50' \\ 72 \quad 54 \\ 72 \quad 52 \end{array} \right.$
101 and in Index No. 79.....	16.988	15.966
323 twice and in Index No. 287.....	67° 46'	22° 14'
Index No. 105.....	9 42	9 12
Index No. 110 in Column of Decl.....	12 17	17 12
Index No. 278.....	278	*278
Index No. 222.....	Mean mot. — 2°.13	Mean mot. + 2°.13

Errata to be corrected in the present Memoir.

- Page 209, for " between 36 and 38," read north following 36.
 — 353, for " 1825.252," read 1825.52.
 — vi. (Index) H. and S. 74; for + 0°.009," read + 0°.109.
 — viii. (Index) S. 600; Re-exam. add in col. of Remarks, the word " Binary."

From the Press of
 W. NICOL,
 Cleveland-row, St. James's.

